

# 84-131-SPHA

TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY:

The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, hereby petition for a Variance from Section 250.1, 250.2 and 250.3 (to the extent the same may be applicable) to permit the guy line and footings of a proposed 515' radio tower to be constructed closer to the front, side and rear property lines than permitted, namely, a front yard setback of 30 feet in lieu of the required 50 foot setback, side yard setbacks of 5 feet, in lieu of the required 30 feet and, combined side yard setbacks of 10 feet in lieu of the required sum of 80 feet, and a rear yard setback of 30 feet in lieu of the required 40 feet.

of the Zoning Regulations of Baltimore County, to the Zoning Law of Baltimore County, for the following reasons: (indicate hardship or practical difficulty)  
(1) From an engineering and stability standpoint, the guy line footings cannot be positioned more distant from the property lines than as presently shown on the plat;  
(2) Practical difficulty and unreasonable hardship will result if a minimum 515' tower cannot be built in order to correct directionalization problems with the studio's signal caused by the topography of the area and the present inadequate tower.

Property is to be posted and advertised as prescribed by Zoning Regulations.

I, or we, agree to pay expenses of above Variance advertising, posting, etc., upon filing of this petition, and further agree to and are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Zoning Law For Baltimore County.

I/We do solemnly declare and affirm, under the penalties of perjury, that I/we are the legal owner(s) of the property which is the subject of this Petition.

Contract Purchaser: Legal Owner(s): Peter and John Radio Fellowship, Inc.  
(Type or Print Name) By: Rev. Peter Bisset - Vice President  
Signature Signature  
Address (Type or Print Name)  
City and State Signature

Attorney for Petitioner: Nolan, Plumhoff & Williams, Chartered  
By: (Type or Print Name) Stephen J. Nolan  
Signature  
Address (Type or Print Name)  
City and State Signature

204 W. Pennsylvania Avenue, 3600 Georgetown Road, Phone No.  
Address Baltimore, Maryland 21227 247-4100  
City and State  
Name, address and phone number of legal owner, contract purchaser or representative to be contacted  
Stephan J. Nolan  
204 W. Pennsylvania Avenue, Towson, Md. 21204  
Address Phone No. 823-7800  
Attorney's Telephone No.: 823-7800

ORDERED By The Zoning Commissioner of Baltimore County, this 11th day of October, 1983, that the subject matter of this petition be advertised, as required by the Zoning Law of Baltimore County, in two newspapers of general circulation throughout Baltimore County, that property be posted, and that the public hearing be had before the Zoning Commissioner of Baltimore County in Room 106, County Office Building in Towson, Baltimore County, on the 15th day of November, 1983, at 10:15 o'clock A.M.

Call John  
Zoning Commissioner of Baltimore County.

(over)

## 84-131-SPHA

TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY:

The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, hereby petition for a Special Hearing under Section 500.7 of the Baltimore County Zoning Regulations, to determine whether or not the Zoning Commissioner and/or Deputy Zoning Commissioner should approve an amendment and modification to the site plan and Order in Special Exception case 5767XA, to permit an additional, more modern radio tower for Station WRBS, to better serve its listening audience.

Property is to be posted and advertised as prescribed by Zoning Regulations.

I, or we, agree to pay expenses of the above Special Hearing advertising, posting, etc., upon filing of this Petition, and further agree to and are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Zoning Law for Baltimore County.

I/We do solemnly declare and affirm, under the penalties of perjury, that I/we are the legal owner(s) of the property which is the subject of this Petition.

Contract Purchaser: Legal Owner(s):  
(Type or Print Name) PETER & JOHN RADIO FELLOWSHIP, INC.  
Signature Signature  
Address (Type or Print Name)  
City and State Signature  
Attorney for Petitioner: NEWTON A. WILLIAMS  
& NOLAN, PLUMHOFF & WILLIAMS, CHD.  
3600 Georgetown Road, 247-4100  
Baltimore County, Maryland 21227  
City and State  
Name, address and phone number of legal owner, contract purchaser or representative to be contacted  
Mr. J. Thomas Bisset  
3600 Georgetown Road, Baltimore, MD 21227  
Address Phone No. 247-4100  
Attorney's Telephone No.: 823-7800

ORDERED By The Zoning Commissioner of Baltimore County, this 11th day of October, 1983, that the subject matter of this petition be advertised, as required by the Zoning Law of Baltimore County, in two newspapers of general circulation throughout Baltimore County, that property be posted, and that the public hearing be had before the Zoning Commissioner of Baltimore County in Room 106, County Office Building in Towson, Baltimore County, on the 15th day of November, 1983, at 10:15 o'clock A.M.

Call John  
Zoning Commissioner of Baltimore County.

E.C.O.-No. 1

(over)

## BALTIMORE COUNTY

## ZONING PLANS

## ADVISORY COMMITTEE



## PETITION AND SITE PLAN

## EVALUATION COMMENTS

## BALTIMORE COUNTY, MARYLAND

### INTER-OFFICE CORRESPONDENCE

TO: Arnold Jablon, Zoning Commissioner Date: October 24, 1983  
FROM: Norman E. Gerber, Director, Office of Planning and Zoning  
SUBJECT: Peter and John Radio Fellowship, Inc. 84-131-SPH

Assuming the proposed tower is of "collapsible type" so that if damaged, it would pose no threat to adjacent properties, this office has no comment to offer.

Norman E. Gerber  
Norman E. Gerber  
Director of Planning and Zoning

NEG:JGH:cav



BALTIMORE COUNTY  
DEPARTMENT OF PUBLIC WORKS  
TOWSON, MARYLAND 21204

HARRY J. PISTEL, P.E.  
DIRECTOR

September 2, 1983

Mr. Arnold Jablon  
Zoning Commissioner  
County Office Building  
Towson, Maryland 21204

Re: Item #28 (1983-1984)  
Property Owner: Peter & John Radio Fellowship, Inc.  
S/BS Old Georgetown Rd. 4,400' S/W from Centerline Joh Avenue  
Acres: 1.59 District: 13th

Dear Mr. Jablon:

The following comments are furnished in regard to the plat submitted to this office for review by the Zoning Advisory Committee in connection with the subject item.

### General:

Baltimore County highway and utility improvements are not directly involved.

Development of this property through stripping, grading and stabilization could result in a sediment pollution problem, damaging private and public holdings downstream of the property. A grading permit is, therefore, necessary for all grading, including the stripping of top soil.

The Petitioner must provide necessary drainage facilities (temporary or permanent) to prevent creating any nuisances or damages to adjacent properties, especially by the concentration of surface waters. Correction of any problem which may result, due to improper grading or improper installation of drainage facilities, would be the full responsibility of the Petitioner.

The Lansdowne Road Extension is proposed to be constructed to the north and east of this property. The alignment, elevation and slopes for this proposed highway may impact the access for this property. Further information may be obtained from this office.

Very truly yours,  
Robert A. Merion, P.E., Chief  
Bureau of Public Services

RAN:EM:RMR:s

cc: John Trenner-Attn: John Klass  
Paul Koch



Maryland Department of Transportation  
State Highway Administration

Lewell K. Bridwell  
Secretary  
M. S. Caltrider  
Administrator

August 3, 1983

Mr. William Hammond  
Zoning Commissioner  
County Office Building  
Towson, Maryland 21204

Attention: Mr. N. Commodari

Dear Mr. Hammond:

On review of the site plan of March 25, 1983, the State Highway Administration finds the plan generally acceptable.

Re: ZAC Meeting of 8-2-83  
ITEM: #28.  
Property Owner: Peter & John Radio Fellowship, Inc.  
Location: SE/S Old Georgetown Road 4,400' S/W from centerline Joh Avenue @ I-95  
Existing Zoning: MLR-IM  
Proposed Zoning: Special Exception to approve an amendment and modification to the site plan and order in Special Exception Case #5767-XA to permit an additional, more modern radio tower for Station WRBS, as to serve its listening audience.  
Acres: 1.59  
District: 13th

Very truly yours,

Charles Lee, Chief  
Bureau of Engineering  
Access Permits

By: George Wittman

CL:GW:maw

cc: Mr. J. Ogle

My telephone number is (301) 659-1350  
Teletypewriter for Impaired Hearing or Speech  
303-7556 Baltimore Metro - 565-0451 D.C. Metro - 1-800-492-5062 Statewide Toll Free  
P.O. Box 717 / 707 North Calvert St., Baltimore, Maryland 21203-0717

Newton A. Williams, Esquire  
204 West Pennsylvania Ave  
Towson, Md. 21204

The Shenk Corp.  
43 East Lee Street  
Bel Air, Md. 21014

## BALTIMORE COUNTY OFFICE OF PLANNING & ZONING

County Office Building  
111 W. Chesapeake Avenue  
Towson, Maryland 21204

Your petition has been received and accepted for filing this 11th day of October, 1983.

Arnold Jablon  
Zoning Commissioner

Petitioner Peter & John Fellowship, Inc.  
Petitioner's Attorney Newton A. Williams, Esq.  
Received by Nicholas B. Commodari, Chairman, Zoning Plans Advisory Committee



Pursuant to the advertisement, posting of property, and public hearing on the Petition and it appearing that strict compliance with the Baltimore County Zoning Regulations would/would not result in practical difficulty and unreasonable hardship upon the Petitioner(s) and the granting of the variance(s) requested will/will not adversely affect the health, safety, and general welfare of the community, the variance(s) should /should not be granted.

Deputy  
Therefore, IT IS ORDERED by the Zoning Commissioner of Baltimore County, this 21<sup>st</sup> day of November, 1983, that the herein Petition for Variance(s) to permit side yard setbacks of 5 feet in lieu of the required 30 feet, combined side yard setbacks of 10 feet in lieu of the required sum of 80 feet, and a rear yard setback of 30 feet in lieu of the required 40 feet for the expressed purpose of constructing footings and guy lines for a 515 foot radio tower, in accordance with Petitioner's Exhibit 1, is hereby GRANTED, from and after the date of this Order, subject, however, to the terms, provisions, and conditions contained in the accompanying Special Hearing Order.

IT IS FURTHER ORDERED that the Petition for Variance to permit a front yard setback of 30 feet in lieu of the required 50 feet be and the same is hereby DENIED.

*John M. Jung*  
Deputy Zoning Commissioner of  
Baltimore County

Pursuant to the advertisement, posting of property, and public hearing on the Petition and it appearing that by reason of the following finding of facts to amend the site plan filed in Case No. 5767-XA to construct a 515 foot radio tower, would be in strict harmony with the spirit and intent of the Baltimore County Zoning Regulations and would not be detrimental to the health, safety, and general welfare of the community; and, therefore,

IT IS ORDERED by the Deputy Zoning Commissioner of Baltimore County, this 21<sup>st</sup> day of November 1983, that the amendment to the site plan filed in Case 5767-XA to permit the construction of a 515 foot radio tower, in accordance with the site plan prepared by the Shenk Corporation, revised October 11, 1983, and marked Petitioner's Exhibit 1, is approved, and, as such, the Petition for Special Hearing is hereby GRANTED, from and after the date of this Order, subject, however, to the following restrictions:

1. Use of strobe lights shall be limited to daytime use unless otherwise specifically required by FCC or FAA rules and regulations.
2. Compliance with the revised cements, undated, by the Department of Permits and Licenses.
3. All structures, buildings, towers, guy line, facilities, etc. shall be enclosed by a security fence.
4. At such time as the use is terminated, the towers shall be removed.
5. Every five years a certification by a Maryland registered professional engineer shall be filed with the Department of Permits and Licenses indicating that both towers continue to meet all safety requirements. Any upgrading or maintenance required to comply with any changes in the safety thereof, shall be performed prior to the filing of such certification.
6. Approval of the aforementioned site plan by the Maryland Department of Transportation and the Office of Planning and Zoning.

*John M. Jung*  
Deputy Zoning Commissioner of  
Baltimore County

ORDER RECEIVED FOR FILING

DATE December 22, 1983

BY Tracy Carpenter (Clerk)



BALTIMORE COUNTY  
DEPARTMENT OF TRAFFIC ENGINEERING  
TOWSON, MARYLAND 21204  
494-3550

STEPHEN E. COLLINS  
DIRECTOR

September 1, 1983

Mr. William Hammond  
Zoning Commissioner  
County Office Building  
Towson, Maryland 21204

Item No. 26, 27, 28, 29, 31, 32, 33, 34. ZAC - Meeting of August 2, 1983  
Property Owner:  
Location:  
Existing Zoning:  
Proposed Zoning:

Acres:  
District:

Dear Mr. Hammond:

The Department of Traffic Engineering has no comments for item numbers 26, 27, 28, 29, 31, 32, 33, and 34.

MSF/ccm

*Michael S. Flanagan*  
Michael S. Flanagan  
Traffic Engineering Assoc. II

BALTIMORE COUNTY DEPARTMENT OF HEALTH

Zoning Commissioner  
Office of Planning and Zoning  
County Office Building  
Towson, Maryland 21204

Zoning Item # 28, Zoning Advisory Committee Meeting of August 2, 1983

Property Owner: Peter & John Radio Fellowship, Inc.

Location: SE/S Old Georgetown Road District 13

Water Supply private Sewage Disposal private

COMMENTS ARE AS FOLLOWS:

- ( ) Prior to approval of a Building Permit for construction, renovation and/or installation of equipment for any existing or proposed food service facility, complete plans and specifications must be submitted to the Plans Review Section, Environmental Support Services, for final review and approval.
- ( ) Prior to new installation/s of fuel burning equipment, the owner should contact the Division of Air Pollution Control, 1594-3775, to obtain requirements for such installation/s before work begins.
- ( ) A permit to construct from the Division of Air Pollution Control is required for such items as spray paint processes, underground gasoline storage tank/s (5,000 gallons or more) and any other equipment or process which exhausts into the atmosphere.
- ( ) A permit to construct from the Division of Air Pollution Control is required for any charbroiler operation which has a total cooking surface area of five (5) square feet or more.
- ( ) Prior to approval of a Building Permit Application for renovations to existing or construction of new health care facilities, complete plans and specifications of the building, food service area and type of equipment to be used for the food service operation must be submitted to the Plans Review and Approval Section, Division of Engineering and Maintenance, State Department of Health and Mental Hygiene for review and approval.
- ( ) Prior to any new construction or substantial alteration of public swimming pool, wading pool, bathhouse, saunas, whirlpools, hot tubs, water and sewerage facilities or other appurtenances pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Department of Health for review and approval. For more complete information, contact the Recreational Hygiene Section, Division of Environmental Support Services.
- ( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore County regulations. For more complete information, contact the Division of Maternal and Child Health.
- ( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with Water Resources Administration requirements.

SS 20 1082 (1)

Zoning Item # 28  
Page 2

- ( ) Any existing underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and either be removed from the property or properly backfilled.
- ( ) Soil percolation tests have been conducted.  
{ } The results are valid until \_\_\_\_\_  
Revised plans must be submitted prior to approval of the percolation tests.
- ( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.
- ( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test  
{ } is not acceptable and must be retested. This must be accomplished prior to conveyance of property or approval of Building Permit Applications.
- ( ) All roads and parking areas should be surfaced with a dustless, bonding material.
- (X) No health hazards are anticipated.
- (X) Others Proposed Tower And guys must NOT interfere with the well and/or septic area.

*Sam J. Fourness*  
Sam J. Fourness, Director  
BUREAU OF ENVIRONMENTAL SERVICES

SS 20 1080 (2)

BALTIMORE COUNTY  
DEPARTMENT OF PERMITS & LICENSES  
TOWSON, MARYLAND 21204  
494-3900

August 24, 1983

TED ZALESKI JR.  
DIRECTOR

Mr. William E. Hammond, Zoning Commissioner  
Office of Planning and Zoning  
County Office Building  
Towson, Maryland 21204

Dear Mr. Hammond:

Comments on Item # 28 Zoning Advisory Committee Meeting are as follows:

Property Owner: Peter & John Radio Fellowship, Inc.  
Location: SE/S Old Georgetown Road 1400' S/W from centerline Joh Avenue  
Existing Zoning: MUR-1M  
Proposed Zoning: Special Exception to approve an amendment and modification to the site plan and order in Special Exception Case #5767-XA to permit an additional, more modern radio tower for Station WRBS, as to serve its listening audience.

Acres: 1.59  
District: 13th

The items checked below are applicable:

- XA. All structure shall conform to the Baltimore County Building Code 1981/ Council Bill 14-82 State of Maryland Code for the Handicapped and Age and other applicable Codes.
- XB. A building and other miscellaneous permits shall be required before beginning construction.
- C. Residential: Three sets of construction drawings are required to file a permit application. Architect/Engineer seal is/is not required.
- XD. Commercial: Three sets of construction drawings with a Maryland Registered Architect/Engineer shall be required to file a permit application.
- E. An exterior wall erected within 6'0" of an adjacent lot line shall be of one hour fire resistive construction, no openings permitted within 3'-0" of lot lines. A firewall is required if construction is on the lot line. See Table 401, Line 2, Section 1107 and Table 1102.
- F. Requested variance conflicts with the Baltimore County Building Code, Section/s \_\_\_\_\_.
- G. A change of occupancy shall be applied for, along with an alteration permit application, and three required sets of drawings indicating how the structure will meet the Code requirements for the proposed change. Drawings may require a professional seal.
- H. Before this office can comment on the above structure, please have the owner, thru the services of a Registered in Maryland Architect or Engineer certify to this office, that, the structure for which a proposed change in use is proposed can comply with the height/area requirements of Table 505 and the required construction classification of Table 401.
- XI. Comments: The construction of the tower shall be under supervision of a structural engineer registered in Maryland and shall be certified as in compliance with the Baltimore County Building Code and the Design drawings on completion before a final occupancy permit approval is issued.

NOTES: These comments reflect only on the information provided by the drawings submitted to the Office of Planning and Zoning and are not intended to be construed as the full extent of any permit. If desired, additional information may be obtained by visiting Room 122 (Plans Review) at 111 West Chesapeake Ave., 21204.

Very truly yours,

*Charles E. Burnham*  
Charles E. Burnham, Chief  
Plans Review

CEB:rsj  
PLM 01-82

BALTIMORE COUNTY  
DEPARTMENT OF PERMITS & LICENSES  
TOWSON, MARYLAND 21204  
494-3010

TED ZALESKI JR.  
DIRECTOR

Mr. Arnold Jablon, Zoning Commissioner  
Office of Planning and Zoning  
County Office Building  
Towson, Maryland 21204

Dear Mr. Jablon:

Comments on Item # 28 Zoning Advisory Committee Meeting are as follows:

Property Owner: Peter & John Radio Fellowship, Inc.  
Location: SE/S Old Georgetown Road 1,400' S/W from centerline Joh Avenue  
Existing Zoning: MUR-1M  
Proposed Zoning: Special Exception to approve an amendment and modification to the site plan and order in Special Exception Case #5767-XA to permit an additional, more modern radio tower for Station WRBS, as to serve its listening audience.

Acres: 1.59  
District: 13th

The items checked below are applicable:

- A. All structures shall conform to the Baltimore County Building Code 1981/Council Bill 14-82 State of Maryland Code for the Handicapped and Age; and other applicable Codes.
- B. A building and other miscellaneous permits shall be required before beginning construction.
- C. Residential: Three sets of construction drawings are required to file a permit application. Architect/Engineer seal is/is not required. Non-reproduced seals and signatures are required on Plans and Technical Data.
- D. Commercial: Three sets of construction drawings with a Maryland Registered Architect or Engineer shall be required to file a permit application.
- E. An exterior wall erected within 6'0" for Commercial uses or 3'0" for One & Two Family use group of an adjacent lot line shall be of one hour fire resistive construction, no openings permitted within 3'0" of lot lines. A firewall is required if construction is on the lot line, see Table 401, Line 2, Section 1107 and Table 1102, also Section 503.2.
- F. Requested variance appears to conflict with the Baltimore County Building Code, Section/s \_\_\_\_\_.
- G. A change of occupancy shall be applied for, along with an alteration permit application, and three required sets of drawings indicating how the structure will meet the Code requirements for the proposed change. Drawings may require a professional seal.
- H. Before this office can comment on the above structure, please have the owner, thru the services of a Registered in Maryland Architect or Engineer certify to this office, that, the structure for which a proposed change in use is proposed can comply with the height/area requirements of Table 505 and the required construction classification of Table 401.
- X. I. Comments - Tower plans shall be signed and sealed by a registered in Maryland Professional Engineer. The project shall be under his direction and a certification signed and sealed by him will be required on completion. See Section 111.7 and Section 625.0.

NOTES: These comments reflect only on the information provided by the drawings submitted to the Office of Planning and Zoning and are not intended to be construed as the full extent of any permit. If desired, additional information may be obtained by visiting Room 122 (Plans Review) at 111 W. Chesapeake Ave., Towson.

Very truly yours,

*Charles E. Burnham*  
Charles E. Burnham, Chief  
Plans Review

CEB:rsj

BALTIMORE COUNTY PUBLIC SCHOOLS

Robert V. Dubel, Superintendent

Towson, Maryland - 21204

Date: August 1, 1983

Mr. William E. Hammond  
Zoning Commissioner  
Baltimore County Office Building  
1111 West Chesapeake Avenue  
Towson, Maryland 21204

Z.A.C. Meeting of: August 2, 1983

RE: Item No: 26, 27, 28, 29, 30, 31, 32, 33  
Property Owner:  
Location:  
Present Zoning:  
Proposed Zoning:

District:  
No. Acres:

Dear Mr. Hammond:

The above item numbers have no bearing on student population. As far as Item 34 is concerned, we wish to draw your attention to the fact that this property is in close proximity to the Franklin Senior High School and could be an inducement to the students.

Very truly yours,




*Wm. Nick Petrovich*  
Wm. Nick Petrovich, Assistant  
Department of Planning

WNP/tp











VICINITY MAP  
SCALE: 1"=1000'



BOARD OF APPEALS  
DEFENDANT'S  
EXHIBIT #1



PLAT TO ACCOMPANY  
SPECIAL HEARING TO REVISE APPROVED  
SITE PLAN FOR

RADIO STATION WEBS

3600 GEORGETOWN RD.  
BALTIMORE CO, MD 21227  
1<sup>st</sup> COUNCILMANIC DISTRICT  
13<sup>th</sup> ELECTION DISTRICT

PREVIOUS CASE  
5767-X

THE SHENK CORP.  
ENGINEERS & SURVEYORS

43 EAST LEE ST.  
DELAIR MD 21034

DATE	SCALE	FILE NO
25 MAR 1983	1"=40'	B302

11 Oct. 1983



Newton A. Williams, Esquire  
Stephen J. Nolan, Esquire  
204 West Pennsylvania Avenue  
Towson, Maryland 21204

#### NOTICE OF HEARING

Re: Petitions for Special Hearing and Variances  
SE/S of Old Georgetown Rd., 4,400' SW of  
the c/l of Joh Avenue  
Peter and John Radio Fellowship, Inc. - Petitioner  
Case No. 84-131-SPHA

TIME: 10:15 A.M.

DATE: Tuesday, November 15, 1983

PLACE: Room 106, County Office Building, 111 West Chesapeake  
Avenue, Towson, Maryland

Zoning Commissioner  
of Baltimore County

BALTIMORE COUNTY, MARYLAND  
OFFICE OF FINANCE-REVENUE DIVISION  
MISCELLANEOUS CASH RECEIPT

No. 117680

DATE: 7-18-83 ACCOUNT: R-01-015-100

AMOUNT: 100.00

RECEIVED: 7/18/83  
FROM: Peter and John Radio Fellowship, Inc.  
C 075\*\*\*\*\*1000010 8192A

VALIDATION OR SIGNATURE OF CASHIER

Office of  
**PATUXENT**  
Publishing Corp.  
10750 Little Patuxent Pkwy.  
Columbia, MD 21044

October 27<sup>9</sup> 83

#### PETITION FOR SPECIAL HEARING

13th Election District

LOCATION: SE/S of Old Georgetown Rd., 4,400' SW of the centerline of Joh Avenue

DATE & TIME: Tuesday, November 15, 1983 at 10:15 A.M.

PUBLIC HEARING: Room 106, County Office Building, 111 West Chesapeake Avenue, Towson, Maryland

The Zoning Commissioner of Baltimore County, by authority of the Zoning Act and Regulations of Baltimore County, will hold a public hearing:

to determine whether or not the Zoning Commission should approve an amendment and modification to the site plan and Order in Special Exception Case No. 84-131-SPHA, to permit an additional, more modern radio tower for Station WRBS to better serve its listening audience and Variances to permit the guy lines and footings of a proposed 515 ft. radio tower to be constructed closer to the front, side and rear property lines than permitted, namely, a front yard setback of 30 ft. in lieu of the required 50 ft., side yard setbacks of 5 ft. in lieu of the required 30 ft. and combined side yard setbacks of 10 ft. in lieu of the required sum of 80 ft. and a rear yard setback of 30 ft. in lieu of the required 40 ft.

The Zoning Regulation to be excepted as follows:

Sections 250.1, 2 & 3 - front, side, sum of side yards and rear yard setbacks in M.L.R. zone

All that parcel of land in the Thirteenth District of Baltimore County

Being the property of Peter and John Radio Fellowship, Inc., as shown on plat filed with the Zoning Department.

In the event that these Petitions are granted, a building permit may be issued within the thirty (30) day appeal period. The Zoning Commissioner will, however, entertain any request for a stay of the issuance of said permit during this period for good cause shown. Such request must be received in writing by the date of the hearing set above or made at the hearing.

BY ORDER OF  
ARNOLD JABLON  
ZONING COMMISSIONER  
OF BALTIMORE COUNTY

IS TO CERTIFY, that the annexed advertisement of  
SPECIAL EXCEPTION 49394

as inserted in the following:

□ Catonsville Times

□ Arbutus Times

□ weekly newspapers published in Baltimore County, Maryland

once a week for one (1) successive weeks before

the 29 day of October, 1983, that is to say,

the same was inserted in the issues of

October 27, 1983

PATUXENT PUBLISHING CORP.  
By: *[Signature]*

BALTIMORE COUNTY  
OFFICE OF PLANNING & ZONING  
TOWSON, MARYLAND 21204  
494-3353

ARNOLD JABLON  
ZONING COMMISSIONER

November 21, 1983

Stephen J. Nolan, Esquire  
204 West Pennsylvania Avenue  
Towson, Maryland 21204

Re: Petitions for Special Hearing and  
Variances  
SE/S of Old Georgetown Rd., 4,400'  
SW of the centerline of Joh Ave.  
13th Election District  
Peter and John Radio Fellowship, Inc. -  
Petitioner  
NO. 84-131-SPHA (Item No. 28)

Dear Mr. Nolan:

I have this date passed my Order in the above captioned matter in accordance with the attached.

Very truly yours,

*[Signature]*  
JERRY M.H. JUNG  
Deputy Zoning Commissioner

JMHJ/mc

Attachments

cc: John W. Hessian, III, Esquire  
People's Counsel

#### PETITION FOR SPECIAL HEARING AND VARIANCES

13th Election District

ZONING: Petition for Special Hearing and Variances

LOCATION: Southeast side of Old Georgetown Road, 4,400 ft. Southwest of the centerline of Joh Avenue

DATE & TIME: Tuesday, November 15, 1983 at 10:15 A.M.

PUBLIC HEARING: Room 106, County Office Building, 111 W. Chesapeake Avenue, Towson, Maryland

The Zoning Commissioner of Baltimore County, by authority of the Zoning Act and Regulations of Baltimore County, will hold a public hearing:

Petition for Special Hearing under Section 500.7 of the Baltimore County Zoning Regulations, to determine whether or not the Zoning Commissioner and/or Deputy Zoning Commissioner should approve an amendment and modification to the site plan and Order in Special Exception Case No. 5767-XA, to permit an additional, more modern radio tower for Station WRBS to better serve its listening audience and Variances to permit the guy lines and footings of a proposed 515 ft. radio tower to be constructed closer to the front, side and rear property lines than permitted, namely, a front yard setback of 30 ft. in lieu of the required 50 ft., side yard setbacks of 5 ft. in lieu of the required 30 ft. and combined side yard setbacks of 10 ft. in lieu of the required sum of 80 ft. and a rear yard setback of 30 ft. in lieu of the required 40 ft.

The Zoning Regulation to be excepted as follows:

Sections 250.1, 2 & 3 - front, side, sum of side yards and rear yard setbacks in M.L.R. zone

All that parcel of land in the Thirteenth District of Baltimore County

Being the property of Peter and John Radio Fellowship, Inc., as shown on plat filed with the Zoning Department.

In the event that these Petitions are granted, a building permit may be issued within the thirty (30) day appeal period. The Zoning Commissioner will, however, entertain any request for a stay of the issuance of said permit during this period for good cause shown. Such request must be received in writing by the date of the hearing set above or made at the hearing.

BY ORDER OF  
ARNOLD JABLON  
ZONING COMMISSIONER  
OF BALTIMORE COUNTY

#### CERTIFICATE OF POSTING

ZONING DEPARTMENT OF BALTIMORE COUNTY  
Towson, Maryland

District: 13th  
Posted for: Appeal  
Petitioner: Peter and John Radio Fellowship, Inc.  
Location of property: SE/S of Old Georgetown Rd., 4,400' SW of the c/l of Joh Avenue  
Location of Sign: SE/S of Old Georgetown Rd., 4,400' SW of the c/l of Joh Avenue  
Remarks: Proposed tower  
Posted by: *[Signature]*  
Number of Signs: 2  
Date of return: Jan 13 - 84

84-131-SPHA  
13th District  
SE/S of Old Georgetown Rd., 4,400' SW of the  
c/l of Joh Ave.  
Peter and John Radio Fellowship, Inc.  
4 SIGNS (2 are location signs)

#### CERTIFICATE OF PUBLICATION

TOWSON, MD, October 27, 1983.

THIS IS TO CERTIFY, that the annexed advertisement was published in THE JEFFERSONIAN, a weekly newspaper printed and published in Towson, Baltimore County, Md.,

on one line, before the 15th

day of November, 1983, the 15th publication

appearing on the 27th day of October,

1983.

THE JEFFERSONIAN

*[Signature]*  
Manager.

Cost of Advertisement, \$ 25.00

1/13/84 - Following were notified of hearing set for Thursday, March 29, '84, at 10 a.m.:

Stephen Nolan  
Newton Williams  
Peter and John Radio Fellowship, Inc.  
Pete Zimmerman  
N. Gerber  
J. Howell  
J. Jung  
A. Jablon  
J. Dyer

IN THE CIRCUIT COURT  
FOR BALTIMORE COUNTY, IN EQUITY

Plaintiff

VS.

Defendant

CERTIFICATE OF PUBLICATION OF

#### CERTIFICATE OF POSTING

ZONING DEPARTMENT OF BALTIMORE COUNTY  
Towson, Maryland

84-131-SPHA

District: 13th Date of Posting: 10-27-83

Posted for: Appeal Hearing and Variances

Petitioner: Peter and John Radio Fellowship, Inc.

Location of property: SE/S of Old Georgetown Rd., 4,400' SW of the c/l of Joh Avenue

Location of Sign: SE/S of Old Georgetown Rd., 4,400' SW of the c/l of Joh Avenue

Remarks: Proposed tower

Posted by: *[Signature]*

Number of Signs: 4

Date of return: 11-4-83





County Board of Appeals of Baltimore County

Room 200 Court House  
Towson, Maryland 21204  
(301) 494-3180

April 24, 1984

Phyllis C. Friedman  
People's Counsel  
Room 223 Courthouse  
Towson, Md. 21204

Re: Case No. 84-131-SPHA  
Peter and John Radio Fellowship, Inc.

Dear Mrs. Friedman:


Enclosed herewith is a copy of the Opinion and Order  
passed by the County Board of Appeals today in the above entitled case.

Very truly yours,

*Edith T. Eisenhart*  
Edith T. Eisenhart, Adm. Secretary


Encl.

cc: Stephen J. Nolan, Esquire  
Newton A. Williams, Esquire  
Peter and John Radio Fellowship, Inc.  
N. E. Gerber  
J. G. Hoswell  
A. Jablon  
Jean M. H. Jung  
J. E. Dyer




TOWER PROFILE

LAND OF  
STATE OF MARYLAND  
9065/276  
ZONE MLR-1M  
(VACANT)



LAND OF  
MD NATIONAL BANK TRUSTEE  
6128/0800  
ZONE MLR-1M  
(VACANT)

LAND OF  
MD NATIONAL BANK TRUSTEE  
6128/0800  
ZONE MLR-1M  
(VACANT)



VICINITY MAP  
SCALE: 1"=1000'


PLAT TO ACCOMPANY  
SPECIAL HEARING TO REVISE APPROVED  
SITE PLAN FOR

RADIO STATION WEBS

3600 GEORGETOWN RD.  
BALTIMORE CO, MD 21227  
1<sup>ST</sup> COUNCILMANIC DISTRICT  
15<sup>TH</sup> ELECTION DISTRICT

PETITIONER'S  
EXHIBIT /

Revised Plans  
#28  
10-11-83



PREVIOUS CASE  
5767-X

THE SHENK CORP.  
ENGINEERS & SURVEYORS

45 EAST LEE ST.  
DELAIR, MD 21034


DATE	SCALE	FILE NO.
25 MAR 1983	1"=40'	8302

11 OCT. 1983












TOWER PROFILE




VICINITY MAP  
SCALE: 1"=1000'



PLAN TO ACCOMPANY  
SPECIAL HEARING TO REVISE APPROVED  
SITE PLAN FOR  
**RADIO STATION WZBS**

3600 GEORGETOWN RD.  
BALTIMORE CO., MD 21227  
1<sup>ST</sup> COUNCILMANIC DISTRICT  
13<sup>TH</sup> ELECTION DISTRICT



PREVIOUS CASE  
5767-X

<b>THE SHENK CORP.</b>		
ENGINEERS & SURVEYORS		
43 EAST LEE ST. DELAIR, MD 21014		
DATE	SCALE	FILE NO.
25 MAR 1983	1"=40'	B302






10-11

PREPARED BY R. J. M.  
DATE 11/11/83


STAINLESS, INC.  
General Arrangement, G7 (guyed)  
WRBS FM, BALTIMORE, MD

PAGE NO. E-1  
JOB NO. 601-P  
REV. DATE DESCRIPTION




Cross Section

Typical Connections  
Guys and Tower Framing





Tower Elevation

Ladder Detail



Structure Detail



Guy Anchor Detail


PETITIONER'S  
EXHIBIT 9



STAINLESS, INC. PAGE NO. 54

G-7 CROSS MEMBER ANALYSIS REPORT NO. 601-P

REV	DATE	DESCRIPTION



5'-11 1/2"  
Unsuported Length

**MATERIAL:** (2) 2 x 2 x 3/16 Angles  
A-36 Structural Steel

(2) 11/16"  
Dia. Holes

**PROPERTIES:**  
Fy = 36,000 psi  
Gross Area = 1.43  
Radius of Gyration = .617  
L/r = 71.5/617 = 116

**ALLOWABLE LOAD AS GOVERNED BY:**

**TENSION:** Net Area = 1.43 - 2 (.1875 x .750) = 1.15 Sq. In.  
Allow. Tensile Stress = 22,000 psi  
Allow. Tension Load = 22,000 x 1.15 = 25,300#


**COMPRESSION:** Allow. Comp. Stress = 10,850 psi  
Allow. Comp. Load = 10,850 x 1.43 = 15,500#

**BEARING:** Brg. Area = 4 x .625 x .1875 = 0.469 Sq. In.  
Allow. Brg. Stress = 48,500 psi  
Allow. Brg. Load = 48,500 x 0.469 = 22,700 #

**BOLT SHEAR:** (2) 5/8 Dia. A-325 Bolts  
Gross Area = 4 x .307 = 1.23 Sq. In.  
Allow. Shear Stress = 22,000 psi  
Allow. Shear Load = 22,000 x 1.23 = 27,000#

**ALLOW. TOWER SHEAR**  
Assume 2/3 of tower shear is carried by one face of tower.  
From allowable loads above, compression governs  
Allow. Tower Shear = 3/2 x 15,500# = 23,250#

Bolt threads excluded from shear planes.  
Unit stresses are in accordance with AISC Specification adopted February 12, 1969




STAINLESS, INC. PAGE NO. E-1

General Arrangement, G7 (guyed) JOB NO. 601-P


WRBS FM, BALTIMORE, MD REV DATE DESCRIPTION

REV	DATE	DESCRIPTION

Prepared by: R. J. M. DATE: 11/11/83




Ladder  
3" Helix Line to FM Antenna  
3/4" Conduit with (4) 7/8" Lines one to each DB-264 Antenna



(2) A325 bolts  
(2) L's (A36)  
R (A36)  
All horizontals are tubes except at guy levels


**Cross Section**

**Typical Connections**  
Guys and Tower Framing




4' Lighting Rod at Top  
Aircraft Warning Lights  
DCPB-3 Panel FM Antenna between 484.0 and 514.0'  
(4) DB 264 at 400.0'  
Aircraft Warning Lights  
Grade  
10' Base  
65.0'  
130.0'  
72.9'  
150.0'  
150.0'  
142.1'  
515.0' Tower Steel Height  
520.0' Overall Tower Height

**Tower Elevation**




1'-0"  
4"  
1'-4 1/2"

**Ladder Detail**



25'-0"  
8'-4"  
7'-0"

**Structure Detail**



Bridge Strand  
Bridge Strand Socket  
Anchor Attachment Plate  
Grade


**Guy Anchor Detail**



PREPARED BY DATE 11/14/83 11:47:53		STAINLESS INC. BEAM COLUMN WITH ELASTIC SUPPORTS		PAGE 3.4 JOB NO. WRBS	
WIND INTO FACE TRIAL NO. 1		SEE P 2.4 FOR MAX ALLOWED LOADS			
*****					
INDIVIDUAL GUY COMPONENTS AT ANCHOR					
*****					
HORIZ. DIST. TO ANCHOR(FT.)	GUY LEVEL	VERT. COMP. (KIPS)	HORIZ. COMP. (KIPS)	HORIZ. COMP. AT ANCHOR PERPENDICULAR TO GUY(KIPS)	RESULTANT (KIPS)
65.0	1	26.344	12.343	0.129	29.092
130.0	2	25.784	11.890	0.264	28.374
	3	48.282	14.991	0.528	50.556
ANCHOR LOADS					
*****					
HORIZ. DIST. TO ANCHOR(FT.)	VERT. COMP. (KIPS)	HORIZ. COMP. (KIPS)	HORIZ. COMP. AT ANCHOR PERPENDICULAR TO GUY(KIPS)	RESULTANT ANGLE(DEG)	RESULTANT OF GUYS AT ANCHOR (KIPS)
65.0	26.344	12.343	0.129	64.9	29.092
130.0	74.066	26.882	0.792	70.1	78.797
	</				

PREPARED BY DATE 11/14/83 11:48:49			STAINLESS, INC. BEAM COLUMN WITH ELASTIC SUPPORTS			PAGE 4- JOB NO. WRBS					
TRIAL NO. 1			MEMBER SIZES								
VERTICAL MEMBERS			DIAGONAL MEMBERS			HORIZONTAL MEMBERS					
ELEV. AT SECT. TOP (FT.)	MAX. LOAD(KIPS) TENS	ALLOW. CONF. (KIPS)	DESCRIPTION	YIELD (KSI)	MAX. SHEAR (KIPS)	ALW. SHEAR (KIPS)	DESCRIPTION	YIELD (KSI)	ALW. SHEAR (KIPS)	DESCRIPTION	YIELD (KSI)
515.0	-48.1	57.02	5" DIA X .145W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
510.0	-48.1	57.02	5" DIA X .145W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
485.0	-48.1	57.02	5" DIA X .145W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
460.0	-48.1	57.02	5" DIA X .203W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
442.1 S 3	0.0	51.18	5" DIA X .145W	50	4.14	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
435.0	0.0	41.88	5" DIA X .145W	50	2.72	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
410.0	0.0	42.28	5" DIA X .145W	50	1.20	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
385.0	0.0	42.80	5" DIA X .145W	50	2.96	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
360.0	0.0	58.66	5" DIA X .203W	50	4.64	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
335.0	0.0	73.93	5" DIA X .250W	50	5.74	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
310.0 S 2	0.0	67.94	5" DIA X .203W	50	4.17	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
292.1 S 2	0.0	67.94	5" DIA X .203W	50	2.01	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
285.0	0.0	67.94	5" DIA X .203W	50	1.42	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
260.0	0.0	65.82	5" DIA X .203W	50	3.10	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
235.0	0.0	65.15	5" DIA X .203W	50	4.78	8.91	5/8" DIA. SOLID	50	13.54	2" X .120W	42
210.0	0.0	80.28	5" DIA X .250W	50	5.90	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
185.0	0.0	95.58	5" DIA X .300W	50	5.10	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
160.0	0.0	93.33	5" DIA X .300W	50	3.42	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
142.1 S 1	0.0	95.41	5" DIA X .300W	50	1.74	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
135.0	0.0	93.42	5" DIA X .300W	50	4.88	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
110.0	0.0	93.42	5" DIA X .300W	50	4.15	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
85.0	0.0	95.41	5" DIA X .300W	50	5.10	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
60.0	0.0	93.42	5" DIA X .300W	50	3.42	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42
35.0	0.0	93.42	5" DIA X .300W	50	1.74	17.45	7/8" DIA. SOLID	50	13.54	2" X .120W	42

SPECIFICATIONS FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS American Institute of Steel Construction, Inc., 1969 ADOPTED G-7, G-8 Allowable Lag Loads									
TUBE DIA.	WALL THICK.	MAX LIFT (L)	YIELD	RADIUS OF GYRATION (r)	$1/r$	AREA	WEIGHT	ALIGN. STRESS	P ALLOW.
5.000	0.1550	100.00	50000.	1.710	58.46	2.50	8.52	22977.7	57388.
5.000	0.2030	100.00	50000.	1.697	58.90	3.05	10.40	22902.7	70065.
5.000	0.2500	100.00	50000.	1.681	59.46	3.73	12.69	22808.7	85091.
5.000	0.3000	100.00	50000.	1.665	60.05	4.42	15.07	22707.7	100387.
5.000	0.3750	100.00	50000.	1.640	60.95	5.44	18.54	22553.7	122888.
5.000	0.3750	75.00	50000.	1.640	45.71	5.44	18.54	25004.2	136240.
2.750	1.3750	75.00	36000.	0.687	109.09	5.93	20.21	11793.9	70051.
3.000	1.5000	75.00	36000.	0.750	100.00	7.06	24.05	12777.7	91734.
3.250	1.6250	75.00	36000.	0.812	92.30	8.29	28.22	12328.4	115546.
3.500	1.7500	75.00	36000.	0.875	85.71	9.62	32.73	14707.0	141498.
3.750	1.8750	75.00	36000.	0.937	80.00	11.04	37.58	15555.2	169541.
4.000	2.0000	75.00	36000.	1.000	75.00	12.56	42.76	15902.3	199834.
4.250	2.1250	75.00	36000.	1.062	70.58	14.18	48.27	16369.3	232179.
4.500	2.2500	75.00	36000.	1.125	66.66	15.90	54.11	16772.1	266748.
4.750	2.3750	75.00	36000.	1.187	63.15	17.72	60.29	17122.4	303419.
5.000	2.5000	100.00	36000.	1.250	80.00	19.63	68.81	15355.2	301500.
5.250	2.6250	100.00	36000.	1.312	76.19	21.64	73.66	15773.7	341465.
5.500	2.7500	100.00	36000.	1.375	72.72	23.75	80.84	16144.7	393762.
5.750	2.8750	100.00	36000.	1.437	69.66	25.96	88.36	16475.5	427824.

PREPARED BY: 

DATE: 8-27-73

G-7 DIAGONAL MEMBER ANALYSIS

STAINLESS, INC.

PAGE NO. 5-1

REPORT NO. 601-P

V50

PREPARED BY: *TR*

STAINLESS, INC.

PAGE NO. *5-3*

DATE: *8-27-73*

G-7 DIAGONAL MEMBER ANALYSIS

REPORT NO. *601-P*

REV	DATE	DESCRIPTION

**V50**

**MATERIAL:**

Rod: 7/8 Dia.

$F_y = 50,000 \text{ psi}$  Area = .601 in.<sup>2</sup>

End Plates 1/2 x 3 x 8-5/8"

$F_y = 36,000 \text{ psi}$

**ALLOWABLE LOADS AS GOVERNED BY:**

**TENSION:**

Allow. Tensile Stress = 30,000 psi

Allow. Tension Load = 30,000 x .601 = **18,030\***

**BEARING:**

Plate Thickness = .50"

Brg. Area = 2 x .50 x .750 = .750 in.<sup>2</sup>

Allow. Brg. Stress = 48,500 psi

Allow. Brg. Load = 48,500 x .750 = 36,375\*

**BOLT SHEAR:**

(2) 3/4 Dia. A-325

Gross Area = 2 x .442 = .884 in.<sup>2</sup>

Allow. Shear Stress = 22,000 psi

Allow. Shear Load = 22,000 x .884 = 19,450\*

**END PAD:**

Weld = 2.75 x 4 x 3 x 700# = 23,100#

Net Area = .50 (1.00 - .875) = 1.003 in.<sup>2</sup>

Allow. Tensile Stress = 22,000 psi

Allow. Tension Load = 22,000 x 1.003 in.<sup>2</sup> = 22,375\*

**ALLOW. TOWER SHEAR**

Assume 2/3 of tower shear is carried by one face of tower. From  
allow. loads above, tension governs and the allow. tower shear =

$$\frac{3}{2} \times 18,030 \times \frac{1.00}{1.05} = \underline{\underline{17,448*}}$$

Unit Stresses are in accordance with AISC  
Specification adopted February 12, 1969

Approved For Use Only

PREPARED BY:

STAINLESS, INC.

PAGE NO. 5-4

DATE:

G-7 CROSS MEMBER ANALYSIS (COMP.)

REPORT NO.

601-P

REV.

DATE

DESCRIPTION

MATERIAL:

AISC C1010 FLASH-IN HRP ALUM. KILLED.  
STEEL TUBING 2" O. D. x .120" WALL.

PROPERTIES:

42,000 psi MINIMUM YIELD  
A = 0.709 in.<sup>2</sup>  
R = 0.666 in.  
L = 71.5 in.  
L/R = 107

NO BOLT ECCENTRICITY

ALLOWABLE LOADS AS GOVERNED BY:

COMPRESSION:

Allow. Comp. Stress = 12,730 psi\*\*  
Allow. Comp. Load = 12,730 x 0.709 = 9,025\*

BEARING:

Bearing Area =  $2(2 \times 0.120" \times 0.625") = 0.300 \text{ in}^2$   
Allow. Brg. Stress = 56,500 psi\*\*  
Allow. Brg. Load = 56,500 x 0.300 = 16,950\*

BOLT SHEAR:

5/8" Dia. - A-325 BOLTS  
Gross Area =  $2 \times 0.307 \text{ in}^2 = 0.614 \text{ in}^2$   
Allow. Shear Stress = 22,000 psi\*  
Allow. Shear Load = 22,000 x 0.614 = 13,510\*

TOWER SHEAR:

ASSUME 2/3 OF TOWER SHEAR IS CARRIED BY ONE FACE OF TOWER.  
FROM ALLOWABLE LOADS ABOVE, COMPRESSIVE LOAD GOVERNS  
AND THE ALLOWABLE TOWER SHEAR =  $3/2 \times 9,025 = 13,540$ \*

\*\*AISC SPECIFICATION (ADOPTED FEBRUARY 12, 1969)

Approved Tracking System



PREPARED BY DATE 11/14/83 11:47:53		STAINLESS INC. BEAM COLUMN WITH ELASTIC SUPPORTS		PAGE 3.4 JOB NO. WRBS	
WIND INTO FACE TRIAL NO. 1		SEE P 2.4 FOR MAX ANCHOR LOADS			
INDIVIDUAL GUY COMPONENTS AT ANCHOR *****					
HORIZ. DIST. TO ANCHOR(FT.)	GUY LEVEL	VERT. COMP. (KIPS)	HORIZ. COMP. (KIPS)	HORIZ. COMP. AT ANCHOR PERPENDICULAR TO GUY(KIPS)	RESULTANT (KIPS)
65.0	1	26.344	12.343	0.129	29.092
130.0	2	26.784	11.890	0.264	28.394
	3	48.282	14.991	0.528	50.556
ANCHOR LOADS *****					
HORIZ. DIST. TO ANCHOR(FT.)	VERT. COMP. (KIPS)	HORIZ. COMP. (KIPS)	HORIZ. COMP. AT ANCHOR PERPENDICULAR TO GUY(KIPS)	RESULTANT ANGLE(DEG)	RESULTANT OF GUYS AT ANCHOR (KIPS)
65.0	26.344	12.343	0.129	64.9	29.092
130.0	74.066	26.082	0.792	70.1	78.797

PREPARED BY  
DATE 11/14/83 11:48:49

STAINLESS INC.  
BEAM COLUMN WITH ELASTIC SUPPORTS

PAGE 4-  
JOB NO: WRBS

TRIAL NO. 1

MEMBER SIZES

ELEV. AT SECT. TOP (FT.)	VERTICAL MEMBERS			MAX. DIAGONAL MEMBERS			HORIZONTAL MEMBERS				
	MAX LOAD (KIPS) TENS	ALLOW. COMP. (KIPS)	DESCRIPTION	YIELD (KSI)	SHEAR (KIPS)	ALW SHEAR (KIPS)	YIELD (KSI)	ALW SHEAR (KIPS)	DESCRIPTION	YIELD (KSI)	
515.0	-48.1	57.02	57.564 5" DIA X .165W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
510.0	-48.1	57.02	57.564 5" DIA X .165W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
485.0	-48.1	57.02	57.564 5" DIA X .165W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
460.0	-48.1	57.02	70.053 5" DIA X .203W	50	6.95	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
442.1	0.0	51.18	57.564 5" DIA X .165W	50	4.14	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
435.0	0.0	41.88	57.564 5" DIA X .165W	50	2.72	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
410.0	0.0	42.28	57.564 5" DIA X .165W	50	1.28	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
385.0	0.0	42.80	57.564 5" DIA X .165W	50	2.96	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
360.0	0.0	58.66	70.053 5" DIA X .203W	50	4.64	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
335.0	0.0	58.66	70.053 5" DIA X .203W	50	5.76	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
310.0	0.0	73.93	85.088 5" DIA X .250W	50	4.17	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
292.1	0.0	67.94	70.053 5" DIA X .203W	50	2.04	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
285.0	0.0	65.61	70.053 5" DIA X .203W	50	1.42	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
260.0	0.0	65.15	70.053 5" DIA X .203W	50	3.10	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
235.0	0.0	65.15	70.053 5" DIA X .203W	50	4.78	8.91	5/8" DIA. SOLID	50	13.54	2" X 120W	42
210.0	0.0	88.19	100.570 5" DIA X .300W	50	5.90	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
185.0	0.0	95.58	100.570 5" DIA X .300W	50	5.10	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
160.0	0.0	88.19	100.570 5" DIA X .300W	50	3.42	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
142.1	0.0	93.33	100.570 5" DIA X .300W	50	1.74	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
135.0	0.0	95.41	100.570 5" DIA X .300W	50	1.88	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
110.0	0.0	93.33	100.570 5" DIA X .300W	50	4.15	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
85.0	0.0	95.41	100.570 5" DIA X .300W	50	5.10	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
60.0	0.0	95.41	100.570 5" DIA X .300W	50	3.42	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42
35.0	0.0	93.42	100.570 5" DIA X .300W	50	1.74	17.45	7/8" DIA. SOLID	50	13.54	2" X 120W	42

PREPARED BY: DATE: 1/2/79

STAINLESS INC.

PAGE 5  
REPORT NO 601-P

SPECIFICATIONS FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS ADOPTED JANUARY 1 <sup>st</sup> , 1969 G-7, G-8 Allowable Leg Loads							P ALLOW.	
TUBE DIA.	WALL THICK.	RAY LENGTH (L)	YIELD	RADIUS OF GYRATION (r)	1/r	AREA	WEIGHT	ALLOW. STRESS
5.000	0.1650	100.00	50000.	1.710	58.46	2.50	8.52	22977.7
5.000	0.2030	100.00	50000.	1.697	58.90	3.05	10.40	22902.7
5.000	0.2500	100.00	50000.	1.681	59.46	3.73	12.69	22808.7
5.000	0.3000	100.00	50000.	1.665	60.05	4.42	15.07	22707.7
5.000	0.3750	100.00	50000.	1.640	60.95	5.44	18.54	22553.7
5.000	0.3750	75.00	50000.	1.640	45.71	5.44	18.54	25004.2
2.750	1.3750	75.00	36000.	0.887	109.09	5.93	20.21	11793.9
3.000	1.5000	75.00	36000.	0.750	100.00	7.06	24.05	12977.7
3.250	1.4250	75.00	36000.	0.812	92.30	8.29	28.22	13928.4
3.500	1.7500	75.00	36000.	0.875	85.71	9.62	32.73	14707.0
3.750	1.8750	75.00	36000.	0.937	80.00	11.04	37.58	15555.2
4.000	2.0000	75.00	36000.	1.000	75.00	12.56	42.76	15902.3
4.250	2.1250	75.00	36000.	1.062	70.58	14.18	48.27	16369.3
4.500	2.2500	75.00	36000.	1.125	66.66	15.90	54.11	16772.1
4.750	2.3750	75.00	36000.	1.187	63.15	17.72	60.29	17123.4
5.000	2.5000	100.00	36000.	1.250	80.00	19.63	66.81	15952.2
5.250	2.6250	100.00	36000.	1.312	76.19	21.64	73.66	15773.7
5.500	2.7500	100.00	36000.	1.375	72.72	23.75	80.84	16144.7
5.750	2.8750	100.00	36000.	1.437	69.55	25.95	88.35	16475.5
6.000	3.0000	100.00	36000.	1.500	66.66	28.26	96.34	16782.1

PREPARED BY: *[Signature]*

STAINLESS INC.

PAGE NO. 5.1

DATE 8-27-73

G-7 DIAGONAL MEMBER ANALYSIS

REPORT NO. 601-P

REV	DATE	DESCRIPTION

V50

Technical drawing of a diagonal member assembly. The drawing shows a central rod with a diameter of 5/8 inch. The rod is welded to two end plates. The end plates are 3/8 inch thick and 2-1/4 inch wide by 7-3/4 inch long. The rod has a 1/8 inch fillet at the end. The weld length is 2-5/8 inches. The end plates have two holes each, with a diameter of 1 1/16 inches.

MATERIAL: Rod: 5/8 Dia.  
 $F_y = 50,000 \text{ psi}$  Area = .307 in.<sup>2</sup>  
 End Plates 3/8 x 2-1/4 x 7-3/4  
 $F_y = 36,000 \text{ psi}$

ALLOWABLE LOADS AS GOVERNED BY:

TENSION: Allow. Tensile Stress = 30,000 psi  
 Allow. Tension Load = 30,000 x .307 = 9,210\*

BEARING: Plate Thickness = .375"  
 $Brg. \text{ Area} = 2 \times .375 \times .625 = .47 \text{ in.}^2$   
 Allow. Brg. Stress = 48,500 psi  
 Allow. Brg. Load = 48,500 x .47 = 22,500\*

BOLT SHEAR: (2) 5/8 Dia. A-325  
 $Gross \text{ Area} = 2 \times .307 = .614 \text{ in.}^2$   
 Allow. Shear Stress = 22,000 psi  
 Allow. Shear Load = 22,000 x .614 in.<sup>2</sup> = 13,500\*

END PAD: Weld = 2.625" x 4 x 2 x 700# = 14,700#  
 $Net \text{ Area} = .375 (2.25 - .75) = .5625 \text{ in.}^2$   
 Allow. Tensile Stress = 22,000 psi  
 Allow. Tension Load = 22,000 x .5625 = 12,375\*

ALLOW. TOWER SHEAR

Assume 2/3 of tower shear is carried by one face of tower. From  
 allow. loads above, tension governs and the allow. tower shear =  
 $3/2 \times 9,210 \times 7.00 = \underline{9,913*}$   
 10.85

Unit Stresses are in accordance with AISC  
 Specification adopted February 12, 1969

200

PREPARED BY: SP  
DATE: 8-27-73

G-7 DIAGONAL MEMBER ANALYSIS

PAGE NO: 5.2  
REPORT NO: 601-P

V50

MATERIAL:  
Rod: 7/8 Dia.  
 $F_y = 50,000$  psi Area = .601 in.<sup>2</sup>  
End Plates 1/2 x 3 x 8-5/8"  
 $F_y = 36,000$  psi

ALLOWABLE LOADS AS GOVERNED BY:

TENSION:  
Allow. Tensile Stress = 30,000 psi  
Allow. Tension Load = 30,000 x .601 = 18,030\*

BEARING:  
Plate Thickness = .50"  
Brg. Area = 2 x .50 x .750 = .750 in.<sup>2</sup>  
Allow. Brg. Stress = 48,500 psi  
Allow. Brg. Load = 48,500 x .750 = 36,375\*

BOLT SHEAR:  
(2) 3/4 Dia. A-325  
Gross Area = 2 x .442 = .884 in.<sup>2</sup>  
Allow. Shear Stress = 22,000 psi  
Allow. Shear Load = 22,000 x .884 = 19,450\*

END PAD:  
Weld = 2.75 x 4 x 3 x 700# = 23,100#  
Net Area = .50 (1.00 - .875) = 1.003 in.<sup>2</sup>  
Allow. Tensile Stress = 22,000 psi  
Allow. Tension Load = 22,000 x 1.003 in.<sup>2</sup> = 22,375\*

ALLOW. TOWER SHEAR

Assume 2/3 of tower shear is carried by one face of tower. From  
allow. loads above, tension governs and the allow. tower shear =

$$3/2 \times 18,030 \times \frac{7.00}{10.45} = \underline{17,448*}$$

Unit Stresses are in accordance with AISC  
Specification adopted February 12, 1969

2.00

PREPARED BY:

STAINLESS INC.

PAGE NO. 5.3

DATE:

G-7 CROSS MEMBER ANALYSIS (COMP.)

REPORT NO.

601-P

REV. DATE DESCRIPTION

**MATERIAL:**

AISC C1010 FLASH-IN HRP ALUM. KILLED,  
STEEL TUBING 2" O. D. x .120" WALL.

**PROPERTIES:**

42,000 psi MINIMUM YIELD  
 $A = 0.709 \text{ in}^2$   
 $R = 0.666 \text{ in.}$   
 $L = 71.5 \text{ in.}$   
 $L/R = 107$

NO BOLT ECCENTRICITY

**ALLOWABLE LOAD AS GOVERNED BY:**

**COMPRESSION:**

Allow. Comp. Stress = 12,710 psi\*\*  
 Allow. Comp. Load = 12,710 x 0.709 = 9,025\*

**BEARING:**

Bearing Area =  $2(2 \times 0.120" \times 0.625") = 0.300 \text{ in}^2$   
 Allow. Brg. Stress = 56,500 psi\*\*  
 Allow. Brg. Load = 56,500 x 0.300 = 16,950\*

**BOLT SHEAR:**

5/8" Dia. - A-325 BOLTS  
 Gross Area =  $2 \times 0.307 \text{ in}^2 = 0.614 \text{ in}^2$   
 Allow. Shear Stress = 22,000 psi\*\*  
 Allow. Shear Load = 22,000 x 0.614 = 13,510\*

**TOWER SHEAR:**

ASSUME 2/3 OF TOWER SHEAR IS CARRIED BY ONE FACE OF TOWER.  
 FROM ALLOWABLE LOADS ABOVE, COMPRESSIVE LOAD GOVERNS  
 AND THE ALLOWABLE TOWER SHEAR =  $3/2 \times 9,025 = 13,540$ \*

\*\*AISC SPECIFICATION (ADOPTED FEBRUARY 12, 1969)



PREPARED BY  
DATE 11/14/83 11:45:42

STAINLESS INC.  
BEAM COLUMN WITH ELASTIC SUPPORTS

PAGE 2  
JOB NO. WRBS

TOWER DATA TRIAL NO. 1							
TOWER WIDTH(FT.)	SAFETY FACTOR ON GUYS	MOMENT ABOVE TOP GUY(KIPS)	SHEAR ABOVE TOP GUY(KIPS)	WT. ABOVE TOP GUY(KIPS)	MOD. OF ELASTICITY OF TOWER		
7.00	2.50	307.957	6.950	8.147	0.29E+08		
GUY SPAN	SPAN LENGTH(FT.)	LEG DIA. (IN.)	WALL THK. OF LEG (IN.)	W.L./FT. IN SPAN(LB/FT)	WT./FT. IN SPAN(LB/FT)	CONC. W.L. AT GUY POINT(KIPS)	CONC. WT. AT GUY PT.(KIPS)
1	142.1	3.0000	0.3000	67.2	78.7	0.0	0.0
2	150.0	3.0000	0.3000	67.2	78.7	0.0	0.0
3	150.0	3.0000	0.3000	67.2	78.7	0.0	0.0
GUY SPAN	FIRST CONC. LOAD FROM TOP OF SPAN			SECOND CONC. LOAD FROM TOP OF SPAN			
	FT. FROM TOP	W.L. KIPS	WT. KIPS	FT. FROM TOP	W.L. KIPS	WT. KIPS	
1	0.0	0.0	0.0	0.0	0.0	0.0	
2	32.1	0.480	0.500	0.0	0.0	0.0	
3	21.1	-0.259	-0.109	42.1	0.506	0.144	

PREPARED BY  
DATE 11/14/83 11:45:42

STAINLESS INC.  
BEAM COLUMN WITH ELASTIC SUPPORTS

PAGE 2.1  
JOB NO. WRBS

WIND INTO LEGS TRIAL NO. 1 GUY DATA											
FINAL TEMP. = 60. INITIAL TEMP. = 60.											
GUY LEVEL	STD. GUY	INTL DEFLECTION (FT.)	INCR DEFLECTION (FT.)	GUYS/ ANCHOR	WIND VELO. (MPH)	HORIZ. (FT.)	VERT. (FT.)	INITL TENSN. (KIPS)	RADIAL ICE THCK. (IN.)	WT./CU.FT. (KIPS)	GUY DIAH. (IN.)
1	S	0.70	0.20	1	100.0	45.0	142.1	6.500	0.0	0.0	0.8125 BS
GUY WT/FT = 1.390 CROSS SECTIONAL AREA (SQ.IN.) = 0.3960											
1											0.8125 BS
2	S	1.20	0.30	1	100.0	130.0	292.1	7.000	0.0	0.0	0.8125 BS
GUY WT/FT = 1.390 CROSS SECTIONAL AREA (SQ.IN.) = 0.3960											
1											0.8125 BS
2	S	2.90	0.40	1	100.0	130.0	442.1	19.000	0.0	0.0	1.1250 BS
GUY WT/FT = 2.660 CROSS SECTIONAL AREA (SQ.IN.) = 0.7760											
1											1.1250 BS
2											1.1250 BS

PREPARED BY  
DATE 11/14/83 11:44:51

STAINLESS INC.  
BEAM COLUMN WITH ELASTIC SUPPORTS

PAGE 2.2  
JOB NO. WRBS

WIND INTO LEGS TRIAL NO. 1 MAXIMUM GUY LOADS									
GUY LEVEL	MOMENTS (KIPS)	SHEARS (KIPS)	REACTIONS (KIPS)	GUY DIAH. (IN.)	UTS (KIPS)	GUY LOAD X F.S.(KIPS)	TOWER DEFLEC(FT)	GUY LUG ANGLE(DEG)	INITIAL TENS(KIPS)
3	-307.957 -123.316	6.950 4.568	12.294	1.1250 BS	156.000	> 144.688	3.26	73.9	19.000
31.129 ( 65.0 FT. FROM TOP OF SPAN)									
2	-215.310 -114.413	5.759 4.441	10.587	0.8125 BS	80.000	> 77.405	1.95	66.3	7.000
30.420 ( 63.0 FT. FROM TOP OF SPAN)									
1	-227.917 -129.702	5.899 5.659	11.742	0.8125 BS	80.000	> 74.497	0.91	65.4	6.500
125.228 ( 85.0 FT. FROM TOP OF SPAN)									
BASE	0.0	3.890							

PREPARED BY  
DATE 11/14/83 11:45:11


STAINLESS INC.  
BEAM COLUMN WITH ELASTIC SUPPORTS

PAGE 2.3  
JOB NO. WRBS

LEG LOADS-WIND INTO LEGS							
LEVEL	ELEVATION (FT.)	(WT +VC)/3. (KIPS)	LEG A (KIPS)	LEG B (KIPS)	LEG SIZE	HORIZONTALS	DIAGONALS
3	442.1	2.714 27.861	-48.086 7.518	28.116 38.032			
29.578 ( 65.0 FT. FROM TOP OF SPAN)							
2	292.1	31.808 43.510	-3.710 24.636	49.567 52.947			
45.330 ( 63.0 FT. FROM TOP OF SPAN)							
1	142.1	47.612 57.846	10.014 37.109	66.411 68.214			
60.076 ( 85.0 FT. FROM TOP OF SPAN)							
BASE	0.0		61.573	61.573			

TOTAL LOAD ON BASE = 184.720 SEE P 3.3 FOR MAX BASE LOAD





**Stainless, inc.**

NORTH WALES • PENNSYLVANIA

OF APPEALS  
PETITIONER'S  
EXHIBIT #8



## REPORT

DATE: November 14, 1983

TITLE  
STRUCTURAL ANALYSIS  
PROPOSED 520 FT. G-7 TOWER  
WBBS, BALTIMORE, MD

PREPARED BY: JLM

APPROVED: John Thomas

CHECKED BY:


CONTRACT NO.  
OR REFERENCE:

SUBJECT OF  
CONTRACT:

Revisions

Date Pages Results

DESCRIPTION	PAGE NO.
GENERAL ARRANGEMENT DRAWING	1
WIND LOAD AND WEIGHT SUMMARY	1.1
WIND INTO TOWER LEGS	
TOWER INPUT DATA	1
GUY INPUT DATA	2.1
GUY LOADS, TOWER MOMENTS AND SHEARS	2.2
TOWER LEG AND BASE PIER LOADS	2.3
ANCHOR LOADS	2.4
WIND INTO TOWER FACE	
GUY INPUT DATA	3.1
GUY LOADS, TOWER MOMENTS AND SHEARS	3.2
TOWER LEG AND BASE PIER LOADS	3.3
ANCHOR LOADS	3.4
MEMBER SIZES AND LOADS	4
ALLOWABLE MEMBER LOADS	5
VERTICAL LEGS	
DIAGONALS	5.1, 5.2
HORIZONTALS	5.3, 5.4



### SPECIAL INSTRUCTIONS

#### LOADS ABOVE TOP GUY

$$\Sigma \text{MOMENTS} = (72.9 \times 62.2) + (480 \times 71.9) + (1935 \times 55.9) = 307,967 \text{ ft-lb}$$

$$\Sigma \text{SHEARS} = 480 + 72.9 \times 62.2 + 1935 = 6750 \text{ lb}$$

$$\Sigma \text{WEIGHT} = 500 + 72.9 \times 62.1 + 3120 = 8147 \text{ lb}$$

#### LOADS IN TOP SPAN

$$(1) \frac{1}{2} \text{ LINES } W_{140} = 259 \text{ lb} \quad \left. \begin{array}{l} 21.1' \text{ FROM TOP} \\ W_L = 709 \text{ lb} \end{array} \right\}$$

$$(4) \text{ DB 264 } W_{140} = 506 \text{ lb} \quad \left. \begin{array}{l} 42.1' \text{ FROM TOP} \\ W_L = 144 \text{ lb} \end{array} \right\}$$

STAINLESS INC. PAGE NO. 11									
WIND LOAD AND WEIGHT SUMMARY G-7									
ELEV. 0 TO 442 FEET									
ELEV. 442 FEET TO 704 FEET									
ELEV. 704 FEET TO 720 FEET									
ELEV. 720 FEET TO 735 FEET									
ELEV. 735 FEET TO 750 FEET									
ELEV. 750 FEET TO 765 FEET									
ELEV. 765 FEET TO 780 FEET									
ELEV. 780 FEET TO 795 FEET									
ELEV. 795 FEET TO 810 FEET									
ELEV. 810 FEET TO 825 FEET									
ELEV. 825 FEET TO 840 FEET									
ELEV. 840 FEET TO 855 FEET									
ELEV. 855 FEET TO 870 FEET									
ELEV. 870 FEET TO 885 FEET									
ELEV. 885 FEET TO 900 FEET									
ELEV. 900 FEET TO 915 FEET									
ELEV. 915 FEET TO 930 FEET									
ELEV. 930 FEET TO 945 FEET									
ELEV. 945 FEET TO 960 FEET									
ELEV. 960 FEET TO 975 FEET									
ELEV. 975 FEET TO 990 FEET									
ELEV. 990 FEET TO 1005 FEET									
ELEV. 1005 FEET TO 1020 FEET									
ELEV. 1020 FEET TO 1035 FEET									
ELEV. 1035 FEET TO 1050 FEET									
ELEV. 1050 FEET TO 1065 FEET									
ELEV. 1065 FEET TO 1080 FEET									
ELEV. 1080 FEET TO 1095 FEET									
ELEV. 1095 FEET TO 1110 FEET									
ELEV. 1110 FEET TO 1125 FEET									
ELEV. 1125 FEET TO 1140 FEET									
ELEV. 1140 FEET TO 1155 FEET									
ELEV. 1155 FEET TO 1170 FEET									
ELEV. 1170 FEET TO 1185 FEET									
ELEV. 1185 FEET TO 1200 FEET									
ELEV. 1200 FEET TO 1215 FEET									
ELEV. 1215 FEET TO 1230 FEET									
ELEV. 1230 FEET TO 1245 FEET									
ELEV. 1245 FEET TO 1260 FEET									
ELEV. 1260 FEET TO 1275 FEET									
ELEV. 1275 FEET TO 1290 FEET									
ELEV. 1290 FEET TO 1305 FEET									
ELEV. 1305 FEET TO 1320 FEET									
ELEV. 1320 FEET TO 1335 FEET									
ELEV. 1335 FEET TO 1350 FEET									
ELEV. 1350 FEET TO 1365 FEET									
ELEV. 1365 FEET TO 1380 FEET									
ELEV. 1380 FEET TO 1395 FEET									
ELEV. 1395 FEET TO 1410 FEET									
ELEV. 1410 FEET TO 1425 FEET									
ELEV. 1425 FEET TO 1440 FEET									
ELEV. 1440 FEET TO 1455 FEET									
ELEV. 1455 FEET TO 1470 FEET									
ELEV. 1470 FEET TO 1485 FEET									
ELEV. 1485 FEET TO 1500 FEET									
ELEV. 1500 FEET TO 1515 FEET									
ELEV. 1515 FEET TO 1530 FEET									
ELEV. 1530 FEET TO 1545 FEET									
ELEV. 1545 FEET TO 1560 FEET									
ELEV. 1560 FEET TO 1575 FEET									
ELEV. 1575 FEET TO 1590 FEET									
ELEV. 1590 FEET TO 1605 FEET									
ELEV. 1605 FEET TO 1620 FEET									
ELEV. 1620 FEET TO 1635 FEET									
ELEV. 1635 FEET TO 1650 FEET									
ELEV. 1650 FEET TO 1665 FEET									
ELEV. 1665 FEET TO 1680 FEET									
ELEV. 1680 FEET TO 1695 FEET									
ELEV. 1695 FEET TO 1710 FEET									
ELEV. 1710 FEET TO 1725 FEET									
ELEV. 1725 FEET TO 1740 FEET									
ELEV. 1740 FEET TO 1755 FEET									
ELEV. 1755 FEET TO 1770 FEET									
ELEV. 1770 FEET TO 1785 FEET									
ELEV. 1785 FEET TO 1800 FEET									
ELEV. 1800 FEET TO 1815 FEET									
ELEV. 1815 FEET TO 1830 FEET									
ELEV. 1830 FEET TO 1845 FEET									
ELEV. 1845 FEET TO 1860 FEET									
ELEV. 1860 FEET TO 1875 FEET									
ELEV. 1875 FEET TO 1890 FEET									
ELEV. 1890 FEET TO 1905 FEET									
ELEV. 1905 FEET TO 1920 FEET									
ELEV. 1920 FEET TO 1935 FEET									
ELEV. 1935 FEET TO 1950 FEET									
ELEV. 1950 FEET TO 1965 FEET									
ELEV. 1965 FEET TO 1980 FEET									
ELEV. 1980 FEET TO 1995 FEET									
ELEV. 1995 FEET TO 2010 FEET									
ELEV. 2010 FEET TO 2025 FEET									
ELEV. 2025 FEET TO 2040 FEET									
ELEV. 2040 FEET TO 2055 FEET									
ELEV. 2055 FEET TO 2070 FEET									
ELEV. 2070 FEET TO 2085 FEET									
ELEV. 2085 FEET TO 2100 FEET									
ELEV. 2100 FEET TO 2115 FEET									
ELEV. 2115 FEET TO 2130 FEET									
ELEV. 2130 FEET TO 2145 FEET									
ELEV. 2145 FEET TO 2160 FEET									
ELEV. 2160 FEET TO 2175 FEET									
ELEV. 2175 FEET TO 2190 FEET									
ELEV. 2190 FEET TO 2205 FEET									
ELEV. 2205 FEET TO 2220 FEET									
ELEV. 2220 FEET TO 2235 FEET									
ELEV. 2235 FEET TO 2250 FEET									
ELEV. 2250 FEET TO 2265 FEET									
ELEV. 2265 FEET TO 2280 FEET									
ELEV. 2280 FEET TO 2295 FEET									
ELEV. 2295 FEET TO 2310 FEET									
ELEV. 2310 FEET TO 2325 FEET									
ELEV. 2325 FEET TO 2340 FEET									
ELEV. 2340 FEET TO 2355 FEET									
ELEV. 2355 FEET TO 2370 FEET									
ELEV. 2370 FEET TO 2385 FEET									
ELEV. 2385 FEET TO 2400 FEET									
ELEV. 2400 FEET TO 2415 FEET									
ELEV. 2415 FEET TO 2430 FEET									
ELEV. 2430 FEET TO 2445 FEET									
ELEV. 2445 FEET TO 2460 FEET									
ELEV. 2460 FEET TO 2475 FEET									
ELEV. 2475 FEET TO 2490 FEET									
ELEV. 2490 FEET TO 2505 FEET									
ELEV. 2505 FEET TO 2520 FEET									
ELEV. 2520 FEET TO 2535 FEET									
ELEV. 2535 FEET TO 2550 FEET									
ELEV. 2550 FEET TO 2565 FEET									
ELEV. 2565 FEET TO 2580 FEET									
ELEV. 2580 FEET TO 2595 FEET									
ELEV. 2595 FEET TO 2610 FEET									
ELEV. 2610 FEET TO 2625 FEET									
ELEV. 2625 FEET TO 2640 FEET									
ELEV. 2640 FEET TO 2655 FEET									
ELEV. 2655 FEET TO 2670 FEET									
ELEV. 2670 FEET TO 2685 FEET									
ELEV. 2685 FEET TO 2700 FEET									
ELEV. 2700 FEET TO 2715 FEET									
ELEV. 2715 FEET TO 2730 FEET									
ELEV. 2730 FEET TO 2745 FEET									
ELEV. 2745 FEET TO 2760 FEET									
ELEV. 2760 FEET TO 2775 FEET									
ELEV. 2775 FEET TO 2790 FEET									
ELEV. 2790 FEET TO 2805 FEET									
ELEV. 2805 FEET TO 2820 FEET									
ELEV. 2820 FEET TO 2835 FEET									
ELEV. 2835 FEET TO 2850 FEET									
ELEV. 2850 FEET TO 2865 FEET									
ELEV. 2865 FEET TO 2880 FEET									
ELEV. 2880 FEET TO 2895 FEET									
ELEV. 2895 FEET TO 2910 FEET									
ELEV. 2910 FEET TO 2925 FEET									
ELEV. 2925 FEET TO 2940 FEET									
ELEV. 2940 FEET TO 2955 FEET									
ELEV. 2955 FEET TO 2970 FEET									
ELEV. 2970 FEET TO 2985 FEET									
ELEV. 2985 FEET TO 3000 FEET									
ELEV. 3000 FEET TO 3015 FEET									
ELEV. 3015 FEET TO 3030 FEET									
ELEV. 3030 FEET TO 3045 FEET									
ELEV. 3045 FEET TO 3060 FEET									
ELEV. 3060 FEET TO 3075 FEET									
ELEV. 3075 FEET TO 3090 FEET									
ELEV. 3090 FEET TO 3105 FEET									
ELEV. 3105 FEET TO 3120 FEET									
ELEV. 3120 FEET TO 3135 FEET									
ELEV. 3135 FEET TO 3150 FEET									
ELEV. 3150 FEET TO 3165 FEET									
ELEV. 3165 FEET TO 3180 FEET									
ELEV. 3180 FEET TO 3195 FEET									
ELEV. 3195 FEET TO 3210 FEET									
ELEV. 3210 FEET TO 3225 FEET									
ELEV. 3225 FEET TO 3240 FEET									
ELEV. 3240 FEET TO 3255 FEET									
ELEV. 3255 FEET TO 3270 FEET									
ELEV. 3270 FEET TO 3285 FEET									
ELEV. 3285 FEET TO 3300 FEET									
ELEV. 3300 FEET TO 3315 FEET									
ELEV. 3315 FEET TO 3330 FEET									
ELEV. 3330 FEET TO 3345 FEET									
ELEV. 3345 FEET TO 3360 FEET									
ELEV. 3360 FEET TO 3375 FEET									
ELEV. 3375 FEET TO 3390 FEET									
ELEV. 3390 FEET TO 3405 FEET									
ELEV. 3405 FEET TO 3420 FEET									
ELEV. 3420 FEET TO 3435 FEET									
ELEV. 3435 FEET TO 3450 FEET									
ELEV. 3450 FEET TO 3465 FEET									
ELEV. 3465 FEET TO 3480 FEET									
ELEV. 3480 FEET TO 3495 FEET									
ELEV. 3495 FEET TO 3510 FEET									
ELEV. 3510 FEET TO 3525 FEET									
ELEV. 3525 FEET TO 3540 FEET									
ELEV. 3540 FEET TO 3555 FEET									
ELEV. 3555 FEET TO 3570 FEET									
ELEV. 3570 FEET TO 3585 FEET									
ELEV. 3585 FEET TO 3600 FEET									
ELEV. 3600 FEET TO 3615 FEET									
ELEV. 3615 FEET TO 3630 FEET									
ELEV. 3630 FEET TO 3645 FEET									
ELEV. 3645 FEET TO 3660 FEET									
ELEV. 3660 FEET TO 3675 FEET									
ELEV. 3675 FEET TO 3690 FEET									
ELEV. 3690 FEET TO 3705 FEET									
ELEV. 3705 FEET TO 3720 FEET									
ELEV. 3720 FEET TO 3735 FEET									
ELEV. 3735 FEET TO 3750 FEET									
ELEV. 3750 FEET TO 3765 FEET									
ELEV. 3765 FEET TO 3780 FEET									
ELEV. 3780 FEET TO 3795 FEET									
ELEV. 3795 FEET TO 3810 FEET									
ELEV. 3810 FEET TO 3825 FEET									
ELEV. 3825 FEET TO 3840 FEET									
ELEV. 3840 FEET TO 3855 FEET									
ELEV. 3855 FEET TO 3870 FEET									
ELEV. 3870 FEET TO 3885 FEET									
ELEV. 3885 FEET TO 3900 FEET									
ELEV. 3900 FEET TO 3915 FEET									
ELEV. 3915 FEET TO 3930 FEET									
ELEV. 3930 FEET TO 3945 FEET									
ELEV. 3945 FEET TO 3960 FEET									
ELEV. 3960 FEET TO 3975 FEET									
ELEV. 3975 FEET TO 3990 FEET									
ELEV. 3990 FEET TO 4005 FEET									
ELEV. 4005 FEET TO 4020 FEET									
ELEV. 4020 FEET TO 4035 FEET									
ELEV. 4035 FEET TO 4050 FEET									
ELEV. 4050 FEET TO 4065 FEET									
ELEV. 4065 FEET TO 4080 FEET									
ELEV. 4080 FEET TO 4095 FEET									
ELEV. 4095 FEET TO 4110 FEET									
ELEV. 4110 FEET TO 4125 FEET									
ELEV. 4125 FEET TO 4140 FEET									
ELEV. 4140 FEET TO 4155 FEET									
ELEV. 4155 FEET TO 4170 FEET									
ELEV. 4170 FEET TO 4185 FEET									
ELEV. 4185 FEET TO 4200 FEET									
ELEV. 4200 FEET TO 4215 FEET									
ELEV. 4215 FEET TO 4230 FEET									
ELEV. 4230 FEET TO 4245 FEET									
ELEV. 4245 FEET TO 4260 FEET									
ELEV. 4260 FEET TO 4275 FEET									
ELEV. 4275 FEET TO 4290 FEET									
ELEV. 4290 FEET TO 4305 FEET									
ELEV. 4305 FEET TO 4320 FEET									
ELEV. 4320 FEET TO 4335 FEET									
ELEV. 4335 FEET TO 4350 FEET									
ELEV. 4350 FEET TO 4365 FEET									
ELEV. 4365 FEET TO 4380 FEET									
ELEV. 4380 FEET TO 4395 FEET									
ELEV. 4395 FEET TO 4410 FEET									
ELEV. 4410 FEET TO 4425 FEET									
ELEV. 4425 FEET TO 4440 FEET									
ELEV. 4440 FEET TO 4455 FEET									
ELEV. 4455 FEET TO 4470 FEET									
ELEV. 4470 FEET TO 4485 FEET									
ELEV. 4485 FEET TO 4500 FEET									
ELEV. 4500 FEET TO 4515 FEET									
ELEV. 4515 FEET TO 4530 FEET									
ELEV. 4530 FEET TO 4545 FEET									
ELEV. 4545 FEET TO 4560 FEET									
ELEV. 4560 FEET TO 4575 FEET									
ELEV. 4575 FEET TO 4590 FEET									
ELEV. 4590 FEET TO 4605 FEET									
ELEV. 4605 FEET TO 4620 FEET									
ELEV. 4620 FEET TO 4635 FEET									
ELEV. 4635 FEET TO 4650 FEET									
ELEV. 4650 FEET TO 4665 FEET									
ELEV. 4665 FEET TO 4680 FEET									
ELEV. 4680 FEET TO 4695 FEET									
ELEV. 4695 FEET TO 4710 FEET									
ELEV. 4710 FEET TO 4725 FEET									
ELEV. 4725 FEET TO 4740 FEET									
ELEV. 4740 FEET TO 4755 FEET									
ELEV. 4755 FEET TO 4770 FEET									
ELEV. 4770 FEET TO									








PREPARED BY		STAINLESS INC.				PAGE 2	
DATE 11/14/83 11:45:42		BEAM COLUMN WITH ELASTIC SUPPORTS				JOB NO. WRBS	
TOWER DATA TRIAL NO. 1							
*****							
TOWER	SAFETY FACTOR	MOMENT ABOVE		SHEAR ABOVE	WT. ABOVE	MOD. OF ELASTICITY	
WIDTH(FT.)	ON GUYS	TOP GUY(FT.KIPS)		TOP GUY(KIPS)	TOP GUY(KIPS)	OF TOWER	
7.00	2.50	307.957		6.950	8.147	0.29E+08	
GUY	SPAN	LEG DIA.	WALL THK. OF	W.L./FT. IN	WT./FT. IN	CONC. W.L. AT	CONC. WT. AT
SPAN	LENGTH(FT)	(IN.)	LEG (IN.)	SPAN(LB/FT)	SPAN(LB/FT)	GUY POINT(KIPS)	GUY PT.(KIPS)
1	142.1	5.0000	0.3000	67.2	78.7	0.0	0.0
2	150.0	5.0000	0.3000	67.2	78.7	0.0	0.0
3	150.0	5.0000	0.3000	67.2	78.7	0.0	0.0
GUY	FIRST CONC. LOAD FROM TOP OF SPAN			SECOND CONC. LOAD FROM TOP OF SPAN			
SPAN	FT. FROM TOP	W.L. KIPS	WT. KIPS	FT. FROM TOP	W.L. KIPS	WT. KIPS	
1	0.0	0.0	0.0	0.0	0.0	0.0	
2	32.1	0.480	0.500	0.0	0.0	0.0	
3	21.1	-0.259	-0.109	42.1	0.506	0.144	

PREPARED BY		STAINLESS INC.				PAGE 2.1							
DATE 11/14/83 11:45:42		BEAM COLUMN WITH ELASTIC SUPPORTS				JOB NO. WRBS							
WIND INTO LEGS		TRIAL NO. 1		GUY DATA									
*****													
FINAL TEMP. = 60. INITIAL TEMP. = 60.													
GUY LEVEL	STD. GUYS	INTL DEFLECTION (FT.)	INCR ANCHOR	GUYS/ VELD. (MPH)	WIND HORIZ. (FT)	VERT. (FT)	INITL TENSN. (KIPS)	RADIAL ICE WT/CU.FT.	GUY DIAM. (IN.)	MOD OF ELAST (OF GUYS)	GUYS DIST THIS INCT LEV. GUYS		
=====								=====		=====			
1	S	0.70	0.20	1.	100.0	45.0	142.1	6.500	0.0	0.8125 FS	0.240E+08	3.	2
GUY WT/FT = 1.390				CROSS SECTIONAL AREA (SQ.IN.) = 0.3960				GUY NO.		GUY ANGLE	ECC MOM ARM	NO. OF GUYS	
								1		0.	4.040	1.	
								2		120.	-2.020	2.	
2	S	1.20	0.30	1.	100.0	130.0	292.1	7.000	0.0	0.8125 BS	0.240E+08	3.	2
GUY WT/FT = 1.390				CROSS SECTIONAL AREA (SQ.IN.) = 0.3960				GUY NO.		GUY ANGLE	ECC MOM ARM	NO. OF GUYS	
								1		0.	4.040	1.	
								2		120.	-2.020	2.	
3	S	2.90	0.40	1.	100.0	130.0	442.1	19.000	0.0	1.1250 BS	0.240E+08	3.	2
GUY WT/FT = 2.660				CROSS SECTIONAL AREA (SQ.IN.) = 0.7760				GUY NO.		GUY ANGLE	ECC MOM ARM	NO. OF GUYS	
								1		0.	4.040	1.	
								2		120.	-2.020	2.	

PREPARED BY		STAINLESS INC.				PAGE 2.2				
DATE 11/14/83 11:44:51		BEAM COLUMN WITH ELASTIC SUPPORTS				JOB NO. WRBS				
WIND INTO LEGS TRIAL NO. 1		MAXIMUM GUY LOADS								
*****										
GUY LEVEL	MOMENTS (FT.KIPS)	SHEARS (KIPS)	REACTIONS (KIPS)	GUY DIAH. (IN.)	UTS (KIPS)	GUY LOAD X F.S.(KIPS)	TOWER REFLEC(FT)	GUY LUG ANGLE( DEG)	GUY(FT) LENGTH	INITIAL TENS(KIPS)
3	-307.957 -123.318	6.950 4.568	12.294	1.1250 BS	156.000	> 144.688	3.26	73.9	460.8	19.000
31.129 ( 65.0 FT. FROM TOP OF SPAN)										
2	-215.310 -114.413	5.759 4.661	10.587	0.8125 BS	80.000	> 77.405	1.95	66.3	319.7	7.000
30.420 ( 63.0 FT. FROM TOP OF SPAN)										
1	-227.917 -125.207	5.899 5.659	11.742	0.8125 BS	80.000	> 74.497	0.91	65.4	156.3	6.500
125.226 ( 85.0 FT. FROM TOP OF SPAN)										
BASE	0.0	3.890								

PREPARED BY		STAINLESS INC.				PAGE 2.3	
DATE 11/14/83 11:45:11		BEAM COLUMN WITH ELASTIC SUPPORTS				JOB NO. WRBS	
LEG LOADS--WIND INTO LEGS							
*****							
LEVEL	ELEVATION (FT.)	(WT +VC)/3. (KIPS)	LEG A (KIPS)	LEG B (KIPS)	LEG SIZE	HORIZONTALS	DIAGONALS
3	442.1	2.716 27.861	-48.086 7.518	28.116 38.032			
		29.578 ( 65.0 FT. FROM TOP OF SPAN.)	34.713	27.010			
2	292.1	31.808 43.510	-3.710 24.636	49.567 52.947			
		45.330 ( 63.0 FT. FROM TOP OF SPAN.)	50.348	42.821			
1	142.1	47.612 57.846	10.014 37.109	66.411 68.214			
		60.076 ( 85.0 FT. FROM TOP OF SPAN.)	80.733	49.747			
BASE	0.0		61.573	61.573			
TOTAL LOAD ON BASE = 184.720							
SEE P 3.3 FOR MAX BASE LOAD							





**Stainless, inc.**

NORTH WALES • PENNSYLVANIA

**PETITIONER'S  
EXHIBIT 10**



# REPORT

601-P

DATE: November 14, 1983

## TITLE

STRUCTURAL ANALYSIS  
PROPOSED 520 FT. G-7 TOWER  
WRBS, BALTIMORE, MD

PREPARED BY: JLM

APPROVED: *John Thomas*

CHECKED BY:

CONTRACT NO.  
OR REFERENCE:

SUBJECT OF  
CONTRACT:

Revisions


Date Page Remarks

DESCRIPTION	PAGE NO.
GENERAL ARRANGEMENT DRAWING	1.1
WIND LOAD AND WEIGHT SUMMARY	1.2
WIND INTO TOWER LEGS	1.3
TOWER INPUT DATA	2.1
GUY INPUT DATA	2.2
GUY LOADS, TOWER MOMENTS AND SHEARS	2.3
TOWER LEG AND BASE PIER LOADS	2.4
ANCHOR LOADS	2.5
WIND INTO TOWER FACE	2.6
GUY INPUT DATA	3.1
GUY LOADS, TOWER MOMENTS AND SHEARS	3.2
TOWER LEG AND BASE PIER LOADS	3.3
ANCHOR LOADS	3.4
MEMBER SIZES AND LOADS	3.5
ALLOWABLE MEMBER LOADS	3.6
VERTICAL LEGS	3.7
DIAGONALS	3.8
HORIZONTALS	3.9

PREPARED BY: REX  
DATE: 5-10-83

STAINLESS INC.  
SPECIFICATIONS & ARRANGEMENT

PAGE NO. 1  
REPORT NO. 601-P



REV	DATE	DESCRIPTION
1	5-10-83	Location: WRBS BALTIMORE, MD
2	5-10-83	Wind Load 40 psf EIA
3	5-10-83	Guy
4	5-10-83	Clip
5	5-10-83	Fixed ✓ SOCKETS
6	5-10-83	Antenna DIELECTRIC Type DCPB 3 PANEL Ht. 30' Wt. 3120# Bury or Pedestal M. S. Wt. 1935# R1 R2 R3

## SPECIAL INSTRUCTIONS

### LOADS ABOVE TOP GUY

$$\Sigma \text{ MOMENTS} = (72.9 \times 62.2) + (430 \times 71.4) + (1935 \times 55.9) = 307,957'$$

$$\Sigma \text{ SHEARS} = 400 + 72.9 \times 52.2 + 1935 = 6950'$$

$$\Sigma \text{ WEIGHT} = 500 + 72.9 \times 62.2 + 3120 = 8147'$$

### LOADS IN TOP SPAN

$$(4) \frac{3}{8} \text{ LINES } W_{40} = 259' \quad \Sigma 21.1' \text{ FROM TOP}$$

$$W_t = 109'$$

$$(4) \text{ DB 264 } W_{40} = 506' \quad \Sigma 42.1' \text{ FROM TOP}$$

$$W_t = 144'$$

PREPARED BY: REX  
DATE: 5-10-83

STAINLESS INC.

PAGE NO. 1.1  
REPORT NO. 601-P

5° O.D. x .300W						ELEV. 0 TO 442 FEET						5° O.D. x .203W						ELEV. 442 FT. TO TOP FEET						ELEV. FT. TO FEET											
10# Wind Load						# Weight						10# Wind Load						# Weight						10# Wind Load						# Weight					
#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref							
Bare Tower	11.85				68.21						Bare Tower	11.85			54.21			Bare Tower																	
Ladder	1.39				5.00						Ladder	1.39			5.00			Ladder																	
Coax											Coax							Coax																	
(1) 3" HELIAX	1.74				1.78						(1) 3" HELIAX	1.74			1.78																				
(4) GPD 7/8	1.23				2.60																														
Conduit											Conduit							Conduit																	
(1) 3/4"	.50				1.13						(1) 3/4"	.50			1.13																				
Other											Other							Other																	
TOTAL	16.79				78.72						Total	15.56			62.12			Total																	




ELEV. FT. TO FEET						ELEV. FT. TO FEET						ELEV. FT. TO FEET																							
10# Wind Load						# Weight						10# Wind Load						# Weight						10# Wind Load						# Weight					
#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref		#/FL	Ref	#/FL	#/FL	Ref							
Bare Tower						Bare Tower						Bare Tower						Bare Tower																	
Ladder						Ladder						Ladder						Ladder																	
Coax						Coax						Coax						Coax																	
Conduit						Conduit						Conduit						Conduit																	
Other						Other						Other						Other																	
Total						Total						Total						Total																	



# DCPB MEDIUM POWER FM PANEL ANTENNA


Mechanical Specifications: see drawing  
Wind Load: see Curve

Electrical Specifications:  
VSWR: 1.20:1 across 20 MHz of FM band




Contact DIELECTRIC with your requirements for antenna, combiner, diplexer or other RF transmission requirements.

Typical Patterns  
Azimuth



Elevation



Special patterns per your requirements can be computer synthesized and tested on our quarter-scale range.


BOARD OF APPEALS  
PETITIONER'S  
EXHIBIT 9

## WAVEGUIDE RECTANGULAR AND CIRCULAR

TRANSMISSION LINE  
AND  
ACCESSORIES  
COAX  
DEHYDRATORS

RF TERMINATION LOADS  
COUPLERS  
ANTENNAS  
FM RING PANEL TV PANEL

FOR CATALOGS ON THESE PRODUCTS  
PLEASE WRITE OR CALL DIELECTRIC



Printed in U.S.A.

For more  
information  
write or call...


DIELECTRIC COMMUNICATIONS  
RAYMOND, MAINE 04071 • TEL. 207-655-4555  
TWX 710-229-6890 TEL. 800-341-9678



## DCPB MEDIUM POWER FM PANEL ANTENNA

### FEATURES

- Low Cost
- Low Wind Load
- Broad Band
- Variable Polarization
- Low Weight - High Strength/Weight Ratio
- High Power
- Single or Dual Input
- Adjustable Mounts



### GENERAL DESCRIPTION

The DCPB Panel Antenna is designed for installations where more accurate azimuth and elevation patterns are required than might be obtained with an element antenna. The DCPB utilizes four dipole elements per panel as opposed to the usual two. This configuration allows the beam width of both horizontal and vertical polarizations to be as similar as possible, and provides a higher gain per panel than is possible with the two dipole type. The panel and dipole elements are made of stainless steel tubing with resultant strong and lightweight structure. Where required, radomes are provided for each individual dipole presenting low windload. Each dipole element is fed separately allowing for multiple combinations of feed systems to tailor the pattern desired for a variety of directional requirements. This feature also allows for a choice of circular polarization, as well as horizontal and vertical polarization.


Directionalization can be attained by panel quality used and power and/or phasing to individual panels. A large variety of patterns are attainable with this system and can be computer synthesized in advance of manufacture.

Systems composed of these panels can be assembled and tested on the Dielectric Communications quarter-scale range to insure compliance with specific pattern requirements.

The bandwidth of the DCPB panel allows for multi-station installations, with VSWR over a 20 MHz bandwidth of 1.2:1 or less with the power rating for one panel of 10kW. Special systems requiring more power are possible.


Diplexing equipment and transmission line for multi-station systems can be provided by Dielectric Communications allowing one supplier for all your RF systems requirements.

DIELECTRIC COMMUNICATIONS  
RAYMOND, MAINE 04071 • TEL. 207-655-4555  
TWX 710-229-6890 TEL. 800-341-9678




CASE NO. 84-131-SAA  
PETER & JOHN RADIO  
FELLOWSHIP, INC.  
3600 GEORGETOWN ROAD


STUDIO FOR RADIO  
STATION WRBS



EXISTING TOWER  
BASE & STUDIO




FRONT GATE, ENTRANCE  
PETITIONER'S  
EXHIBIT 2




CASE NO. 84-131-SAA  
PETER & JOHN RADIO  
FELLOWSHIP, INC.  
3600 GEORGETOWN RD.

#1 STUDIO FOR RADIO  
STATION WRBS



#2 EXISTING TOWER  
BASE & STUDIO



#3 RECEIVING DISH



CASE NO. 84-131-SAA  
PETER & JOHN RADIO  
FELLOWSHIP, INC.  
3600 GEORGETOWN RD.

#4 FRONT GATE AND  
ENTRANCE



#5 VIEW OF BACKYARD  
FROM STUDIO PROPERTY



#6 JUNKYARD ON WEST  
SIDE OF WASHINGTON  
BLVD.  
VISIBLE FROM  
GEORGETOWN ROAD.



#84-131-SAA  
REAR OF STUDIO FOR  
WRBS



#5 SATELLITE  
RECEIVING  
DISH



#6 NORTH BOUND  
LANE OF  
I-95 TO WEST  
OF PROPERTY



NATIONAL RELIGIOUS BROADCASTERS

CN 1926 Morristown, New Jersey 07960 (201) 676-4000  
Ben Armstrong, P.D., Executive Director

January 4, 1983

Mr. J. Thomas Bissett  
WRBS  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Tom,

I am delighted to officially confirm the fact that you will be receiving the Award of Merit at our 40th Anniversary Convention, January 30-February 2, 1983, at the Sheraton Washington Hotel, Washington, D. C.

You are to be congratulated for your leadership in the field of religious broadcasting, especially as it pertains to radio station ownership and operation.

Your award is scheduled to be given at the Anniversary Banquet on Wednesday evening, February 2, at 7:00 p.m. in the Ballroom at the Sheraton Washington Hotel. I understand that you cannot be with us on Tuesday when your award normally would be given at the FCC Luncheon because of a commitment at Founders' Week in Chicago.

It would be helpful to receive a photo and biographical information for publicity purposes, if you have not already sent it.

We are looking forward with keen anticipation to seeing you at the convention.

With warm personal regards, I am

Cordially yours in Christ,

*Ben*  
Ben Armstrong  
Executive Director

B:es

40th NRFB Annual Convention, Jan. 30 Feb. 2, 1983, Sheraton Washington Hotel, Washington, D.C.

# FELLOWSHIP of LIGHTS, Inc.

Shelter and Counseling Services for Youth in Crisis  
1300 North Calvert Street Baltimore, Maryland 21202

November 11, 1983

Tom Bissett  
WRBS Radio  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Mr. Bissett,

The Fellowship of Lights, Inc. a non-profit, private agency that works with teenagers in crisis and their families taking this opportunity to thank WRBS Radio for airing our public service announcements on a continuous basis. Young people and their families who have heard the public service announcements have called the Fellowship and received the necessary services to assist them through their crisis.

We hope that WRBS will be able to continue airing the public service announcements, allowing those who are in need the opportunity to know of our services.

Sincerely,

*Michael D. Snowden*  
Michael D. Snowden  
Administrative Assistant

PETITIONER'S  
EXHIBIT 5

Administration: 837-8155

Crisis Line: 385-1200

# The BALTIMORE GOODWILL INDUSTRIES, Inc.

4001 Southwestern Boulevard  
Baltimore, Maryland 21229  
(301) 247-3500

Harvey E. Kettering, II  
President

November 11, 1983

Mr. Tom Bissett  
WRBS-FM  
3600 Georgetown Rd.  
Baltimore, Md. 21227

Dear Tom:

As 1983 draws to a close, we would like to express our sincere appreciation to you for WRBS-FM's continued interest in Baltimore Goodwill Industries. The Thanksgiving project PSA's, and many other announcements and interviews that were aired, have added immeasurably to your listeners understanding of the role that Goodwill plays in our community. We thank you.

Please convey our appreciation to your entire staff for their fine civic service, and extend our best wishes for a happy holiday season followed by another year of accomplishment and community involvement.

Tom, may the months that lie ahead bring you continued satisfaction in your work and every good blessing of health and happiness.

Sincerely,

*Harvey E. Kettering, II*  
Harvey E. Kettering, II  
President

ACCREDITED BY COMMISSION ON ACCREDITATION OF REHABILITATION FACILITIES AND GOODWILL INDUSTRIES OF AMERICA, INC.

JARL WAHLSTROM  
GENERAL



The Salvation Army

FOUNDED IN 1865 BY WILLIAM BOOTH  
DIVISIONAL HEADQUARTERS  
FOR  
MARYLAND AND NORTHERN WEST VIRGINIA  
POST OFFICE BOX 7280  
2641 HANOVER AVENUE  
BALTIMORE, MARYLAND 21218

ANDREW S. MILLER  
TERRITORIAL COMMANDER

MAJOR W. EDWARD LAITY  
DIVISIONAL COMMANDER

TELEPHONE  
(301) 869-4025

14 November 1983  
Baltimore, Maryland

To whom it may concern:

The Salvation Army in Baltimore enthusiastically supports WRBS in its plan to increase the area it serves. WRBS has willingly assisted The Salvation Army in its attempts to bring community needs to public attention, and beyond a doubt, our ability to serve the Baltimore area has been greatly enhanced by programming on this fine radio station. The Salvation Army provides food, rent and utilities assistance, clothes, shelter, and many other programs as a community service. It would be difficult or impossible to provide the present degree of care without the very real support of stations such as WRBS.

Any interested party may contact this office for further information.

Richard W. O'Brien

*Richard W. O'Brien*  
Director of  
Community Relations

# LUTHERAN MISSION SOCIETY OF MARYLAND

November 9, 1983

Mr. Tom Bissett  
General Manager  
WRBS  
3600 Georgetown Road  
Baltimore, MD 21227

Dear Tom:

The conversation we had over the air on "Baltimore Speaks Out" regarding Martin Luther's 500th birthday is bringing many fine and positive reactions for the broadcast. Thanks Tom, for having interest in this historic event. It certainly is receiving wide attention. This is another indication of how WRBS responds to the needs and interests of the community.

As the director of a health care and service organization in Maryland I deeply appreciate your ministry in our midst. Your public service programs, your community bulletin board and your community affairs broadcast, together with your many other fine programs are an important service to our community. Over the years that we have worked together I continually find WRBS growing in its influence in the community.

Again, thanks for this valuable service to your ever increasing listening audience.

Cordially,  
*Richard L. Alms*  
Richard L. Alms, Ph.D.  
Executive Director

RLA/jp

# CITY OF BALTIMORE

WILLIAM DONALD SCHAEFER, Mayor



# ENOCH PRATT FREE LIBRARY

400 Cathedral Street  
Baltimore, Maryland 21201-4404

November 10, 1983

Mr. Tom Bissett  
Station WRBS-FM  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Mr. Bissett:

The Pratt Library would like to express its appreciation to you for the assistance you give us from week to week in publicizing our programs and services. We have found Station WRBS-FM very responsive to our requests and we would like you to know that the many public service announcements you have aired for us have been useful not only to the Pratt Library, but to the Baltimore community at large. We hope that we may continue to count on you for your cooperation and help.

Cordially,

*(Mrs) Averil J. Kadis*  
(Mrs) Averil J. Kadis  
Chief, Public Relations Division

P.S. I enjoyed reading your article on Martin Luther in tonight's Evening Sun.



American  
Heart  
Association  
MARYLAND AFFILIATE, INC.

415 N. Charles Street  
P.O. Box 17025  
Baltimore, Maryland 21203  
(301) 685-7074

November 14, 1983

To Whom It May Concern:

During the past year, WRBS Radio has provided valuable public service time to the American Heart Association. In addition to playing our national spots periodically throughout the year, the station has featured talk shows on heart disease. During February, National Heart Month, WRBS has had a cardiologist speak on the risk factors of heart disease. Shows such as this are valuable in increasing public awareness about the individual's role in the fight against our nation's number one killer.

I have only been with the Heart Association for a little over a year, so I cannot comment on any prior work with WRBS. If you would like more information on their recent public service efforts, however please call me at 685-7074.

Sincerely,

*Laura Crosby*  
Laura Crosby  
Assistant Director  
Public Relations

LC/pe

Serving the State of Maryland • An Affiliate of the American Heart Association  
An Equal Opportunity Service and Employment Voluntary Health Agency

Richard L. Alms, Executive Director  
21 South Charles Street  
Baltimore, Maryland 21201-5322  
TTY - 538-9503  
415 N. Charles Street - 685-5674  
26 Eastern Avenue - 327-2220  
4 Eastern Boulevard - 381-5877  
2 West Street, Annapolis - 269-5016  
2 Race Street, Cambridge - 228-9637



SERVICES  
Church and Community Relations  
Deaf Services  
Emergency and Community Services  
Housing Services  
Mental Rehabilitation  
Pastoral Care and Counseling  
Volunteer Services



Mr. J. Thomas Bisset

Page 2.

With respect to the proposed directional antenna pattern, WRBS requests a suppression ratio of 15.4 dB. Section 73.316(a) of the Rules sets a limit on this ratio of 15 dB. Since the requested ratio exceeds the limit by a minimal amount it should be considered insignificant, as well as technically feasible based on current design standards.

Consequently, based on the justifications given above, the waiver requests for Sections 73.207 and 73.316(c) are granted. The waiver request for Section 73.213(a) is hereby dismissed.

Key Broadcasting Corporation objects to the grant of the above-captioned application because the possibility exists that WRBS could install a directional antenna which increases the overlap of contours involved in the current short-spacing between the two stations. The above-captioned application does not propose any increase in 20 mW/m contour overlap between the two stations. Since WRBS must comply with the terms and conditions of the permit, and the antenna pattern specified will not increase overlap, Key's objection is purely speculative, does not raise a substantial and material question of fact which would require a hearing, and must be denied.

Accordingly, in light of the above, the informal objection filed by Key Broadcasting Corporation is DENIED and the above-captioned application is GRANTED subject to the terms and conditions as set forth in the construction permit.

*Larry D. Kads*  
Larry D. Kads, Chief  
Audio Services Division  
Mass Media Bureau

cc: Fletcher, Heald & Hildreth  
Lauren Colby, Esq.

ZM:MRB

**FELLOWSHIP of LIGHTS, Inc.**  
Shelter and Counseling Services for Youth in Crisis  
1300 North Calvert Street Baltimore, Maryland 21202

November 11, 1983

Tom Bisset  
WRBS Radio  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Mr. Bisset,

The Fellowship of Lights, Inc. a non-profit, private agency that works with teenagers in crisis and their families is taking this opportunity to thank WRBS Radio for airing our public service announcements on a continuous basis. Young people and their families who have heard the public service announcements have called the Fellowship and received the necessary services to assist them through their crisis.

We hope that WRBS will be able to continue airing the public service announcements, allowing those who are in need the opportunity to know of our services.

Sincerely,

*Michael D. Snowden*  
Michael D. Snowden  
Administrative Assistant

BOARD OF APPEALS  
PETITIONER'S  
EXHIBIT 4

Administration: 837-8155

Crisis Line: 385-1200

**The BALTIMORE GOODWILL INDUSTRIES, Inc.**

4001 Southwestern Boulevard  
Baltimore, Maryland 21229  
(301) 247-3500

Harvey E. Kettering, II  
President

November 11, 1983

Mr. Tom Bissett  
WRBS-FM  
3600 Georgetown Rd.  
Baltimore, Md. 21227

Dear Tom:

As 1983 draws to a close, we would like to express our sincere appreciation to you for WRBS-FM's continued interest in Baltimore Goodwill Industries. The Thanksgiving project PSA's, and many other announcements and interviews that were aired, have added immeasurably to your listeners understanding of the role that Goodwill plays in our community. We thank you.

Please convey our appreciation to your entire staff for their fine civic service, and extend our best wishes for a happy holiday season followed by another year of accomplishment and community involvement.

Tom, may the months that lie ahead bring you continued satisfaction in your work and every good blessing of health and happiness.

Sincerely,

*Harvey E. Kettering, II*  
Harvey E. Kettering, II  
President

ACCREDITED BY COMMISSION ON ACCREDITATION OF REHABILITATION FACILITIES AND GOODWILL INDUSTRIES OF AMERICA, INC.

JARL WAHLSTROM  
GENERAL



**The Salvation Army**

FOUNDED IN 1865 BY WILLIAM BOOTH  
DIVISIONAL HEADQUARTERS  
MARYLAND AND DISTRICT OF COLUMBIA  
POST OFFICE BOX 7388  
2241 MARYLAND AVENUE  
BALTIMORE, MARYLAND 21218

ANDREW S. MILLER  
TERRITORIAL COMMANDER

TELEPHONE  
(301) 889-4025

MAJOR W. EDWARD LAITY  
DIVISIONAL COMMANDER

14 November 1983  
Baltimore, Maryland

To whom it may concern:

The Salvation Army in Baltimore enthusiastically supports WRBS in its plan to increase the area it serves. WRBS has willingly assisted The Salvation Army in its attempts to bring community needs to public attention, and beyond a doubt, our ability to serve the Baltimore area has been greatly enhanced by programming on this fine radio station. The Salvation Army provides food, rent and utilities assistance, clothes, shelter, and many other programs as a community service. It would be difficult or impossible to provide the present degree of care without the very real support of stations such as WRBS.

Any interested party may contact this office for further information.

Richard W. O'Brien

*Richard W. O'Brien*  
Director of  
Community Relations

**UNITED MISSION SOCIETY OF MARYLAND**

November 9, 1983

Mr. Tom Bissett  
General Manager  
WRBS  
3600 Georgetown Road  
Baltimore, MD 21227

Dear Tom:

The conversation we had over the air on "Baltimore Speaks Out" regarding Martin Luther's 500th birthday is bringing many fine and positive reactions for the broadcast. Thanks Tom, for having interest in this historic event. It certainly is receiving wide attention. This is another indication of how WRBS responds to the needs and interests of the community.

As the director of a health care and service organization in Maryland I deeply appreciate your ministry in our midst. Your public service programs, your community bulletin board and your community affairs broadcast, together with your many other fine programs are an important service to our community. Over the years that we have worked together I continually find WRBS growing in its influence in the community.

Again, thanks for this valuable service to your ever increasing listening audience.

Cordially,

*Richard L. Alms*  
Richard L. Alms, Ph.D.  
Executive Director

RLA/jp

Richard L. Alms, Executive Director  
31 South Charles Street  
Baltimore, Maryland 21202 - 539-7322  
TTY - 539-0903  
NTS  
31 South Charles Street - 685-5674  
35 Eastern Avenue - 322-2228  
6 Eastern Boulevard - 391-6877  
2 West Street, Annapolis - 266-8018  
2 Race Street, Cambridge - 228-8437



SERVICES  
Church and Community Relations  
Dial Services  
Emergency and Community Service  
Housing Services  
Mental Retardation  
Pastoral Care and Counseling  
Volunteer Services

**CITY OF BALTIMORE**  
WILLIAM DONALD SCHAEFER, Mayor



ENOCH PRATT FREE LIBRARY  
400 Cathedral Street  
Baltimore, Maryland 21201-4484

November 10, 1983

Mr. Tom Bissett  
Station WRBS-FM  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Mr. Bissett:

The Pratt Library would like to express its appreciation to you for the assistance you give us from week to week in publicizing our programs and services. We have found Station WRBS-FM very responsive to our requests and we would like you to know that the many public service announcements you have aired for us have been useful not only to the Pratt Library, but to the Baltimore community at large. We hope that we may continue to count on you for your cooperation and help.

Cordially,

*Chief, Public Relations Division*  
(Mrs) Averil J. Kads  
Chief, Public Relations Division

P.S. I enjoyed reading your article on Martin Luther in tonight's Evening Sun.



**American Heart Association**  
MARYLAND AFFILIATE, INC.

415 N. Charles Street  
P.O. Box 17025  
Baltimore, Maryland 21203  
(301) 685-7074

November 14, 1983

To Whom It May Concern:

During the past year, WRBS Radio has provided valuable public service time to the American Heart Association. In addition to playing our national spots periodically throughout the year, the station has featured talk shows on heart disease. During February, National Heart Month, WRBS has had a cardiologist speak on the risk factors of heart disease. Shows such as this are valuable in increasing public awareness about the individual's role in the fight against our nation's number one killer.

I have only been with the Heart Association for a little over a year, so I cannot comment on any prior work with WRBS. If you would like more information on their recent public service efforts, however please call me at 685-7074.

Sincerely,

*Laura Crosby*  
Laura Crosby  
Assistant Director  
Public Relations

LC/pe

Serving the State of Maryland • An Affiliate of the American Heart Association  
An Equal Opportunity Service and Employment Voluntary Health Agency

**NATIONAL RELIGIOUS BROADCASTERS** CN 1926 Morristown, New Jersey 07960 (201) 675-4000  
Ben Armstrong, Ph.D., Executive Director

January 4, 1983

Mr. J. Thomas Bissett  
WRBS  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Tom,

I am delighted to officially confirm the fact that you will be receiving the Award of Merit at our 40th Anniversary Convention, January 30-February 2, 1983, at the Sheraton Washington Hotel, Washington, D. C.

You are to be congratulated for your leadership in the field of religious broadcasting, especially as it pertains to radio station ownership and operation.

Your award is scheduled to be given at the Anniversary Banquet on Wednesday evening, February 2, at 7:00 p.m. in the Ballroom at the Sheraton Washington Hotel. I understand that you cannot be with us on Tuesday when your award normally would be given at the FCC Luncheon because of a commitment at Founders' Week in Chicago.

It would be helpful to receive a photo and biographical information for publicity purposes, if you have not already sent it.

We are looking forward with keen anticipation to seeing you at the convention.

With warm personal regards, I am

Cordially yours in Christ,

*Ben*  
Ben Armstrong  
Executive Director

BAs

30th ANN. CONVENTION, Jan. 30-Feb. 2, 1983, Sheraton Washington Hotel, Washington, D.C.



NATIONAL RELIGIOUS BROADCASTERS CN 1926 Morristown, New Jersey 07960 (201) 675-4000  
Ben Armstrong, Ph.D., Executive Director

January 4, 1983

Mr. J. Thomas Bisset  
WRBS  
3600 Georgetown Road  
Baltimore, Maryland 21227

Dear Tom,

I am delighted to officially confirm the fact that you will be receiving the Award of Merit at our 40th Anniversary Convention, January 30-February 2, 1983, at the Sheraton Washington Hotel, Washington, D. C.

You are to be congratulated for your leadership in the field of religious broadcasting, especially as it pertains to radio station ownership and operation.

Your award is scheduled to be given at the Anniversary Banquet on Wednesday evening, February 2, at 7:00 p.m. in the Ballroom at the Sheraton Washington Hotel. I understand that you cannot be with us on Tuesday when your award normally would be given at the FCC Luncheon because of a commitment at Founders' Week in Chicago.

It would be helpful to receive a photo and biographical information for publicity purposes, if you have not already sent it.

We are looking forward with keen anticipation to seeing you at the convention.

With warm personal regards, I am

Cordially yours in Christ,

Ben

Ben Armstrong  
Executive Director

Bates

PETITIONER'S  
EXHIBIT 6

Airspace and Procedures Branch, AEA-530  
Air Traffic Division  
Federal Aviation Administration  
Federal Building  
John F. Kennedy International Airport  
Jamaica, New York 11430

IN REPLY REFER TO  
AERONAUTICAL STUDY  
NO. 83-AEA-0969-0E

# DETERMINATION OF NO HAZARD TO AIR NAVIGATION

SPONSOR	WRBS 3600 Georgetown Road Baltimore, MD 21227		CONSTRUCTION LOCATION	
	PLACE NAME		Baltimore, Maryland	
	LATITUDE		LONGITUDE	
	39-15-21		76-10-29	
CONSTRUCTION PROPOSED	DESCRIPTION		HEIGHT IN FEET	
	Antenna Tower		511 733	

An aeronautical study of the proposed construction described above has been completed under the provisions of Part 77 of the Federal Aviation Regulations. Based on the study it is found that the construction would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the construction would not be a hazard to air navigation provided the following conditions are met:

The tower should be lighted and monitored in accordance with FAA Advisory Circular 70-1460-1P, Obstruction Marking and Lighting, Chapters 4, 6, and 9 or Chapters 4, 7, and 9.

Supplemental notice of construction is required any time the project is abandoned (use the enclosed FAA form), or

- ☐ At least 48 hours before the start of construction (use the enclosed FAA form).
- ☐ Within five days after the construction reaches its greatest height (use the enclosed FAA form).

This determination expires on May 9, 1984, unless:

- (a) extended, revised or terminated by the issuing office;
- (b) the construction is subject to the licensing authority of the Federal Communications Commission and an application for a construction permit is made to the FCC on or before the above expiration date. In such case the determination expires on the date prescribed by the FCC for completion of construction, or on the date the FCC denies the application.

NOTE: Request for extension of the effective period of this determination must be postmarked or delivered to the issuing office at least 15 days prior to the expiration date.

This determination is subject to review if an interested party files a petition on or before October 30, 1983. In the event a petition for review is filed, it should be submitted in triplicate to the Manager, Flight Information and Obstructions Branch, AAT-210, Federal Aviation Administration, Washington, D.C. 20591, and contain a full statement of the basis upon which it is made.

This determination becomes final on November 9, 1983, unless a petition for review is timely filed, in which case the determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review.

An account of the study findings, aeronautical objections, if any, registered with the FAA during the study, and the basis for the FAA's decision in this matter will be found on the following pages.

If the structure is subject to the licensing authority of the FCC, a copy of this determination will be sent to that Agency.

This determination, issued in accordance with FAA Part 77, concerns the effect of this proposal on the safe and efficient use of the navigable airspace by aircraft and does not relieve the sponsor of any compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

PETITIONER'S  
EXHIBIT 3

SIGNED: *W. Kennedy* Title: Manager, Airspace and Procedures Branch, AEA-530  
ISSUED IN: Jamaica, New York ON: September 30, 1983

## RESUME OF JOHN L. WINDLE VICE PRESIDENT, ENGINEERING STAINLESS, INC.

Home Address: 604 South Concord Road  
West Chester, PA 19380

Date of Birth: January 6, 1932

Education: BS Engineering - Structural Major  
Drexel University, Philadelphia, PA - 1966

Advanced studies in Structural Dynamics  
Drexel University, Philadelphia, PA - 1969-70

Experience: Assistant Structural Engineer  
Design of mill buildings and foundations  
United Engineers and Constructors, Inc.  
Philadelphia, PA  
1964-1966

Manager of Structural Engineering  
Design of tower and antenna structures and foundations  
Trylon, Inc.  
Elverson, PA  
1966-1970

Chief Engineer  
Design of tower structures and foundations  
Stainless, Inc.  
North Wales, PA  
1970 - Present

Professional Registration: Pennsylvania No. 011766-E Colorado No. 20618  
Ohio No. E-034351 Oregon No. 12077  
Michigan No. 19783 Indiana No. 19518  
Minnesota No. 0011186 Alabama No. 13984  
Virginia No. 1019200 New York No. 059049  
Maryland No. 12623 West Virginia No. 9050  
Missouri No. E-20442

Publications: "A Study of Factors in Tower Type and Site Selection." Communications News, June, 1957.

"Structural Considerations When Changing or Adding Antennas on Existing Towers." Proceedings - 20th Annual Broadcast Engineering Conference, National Association of Broadcasters, 1975.

Committees: EIA Subcommittee TR-14.7 responsible for maintenance of EIA Standard RS-222, "Structural Standards for Steel Antenna Towers and Antenna Supporting Structures."

PETITIONER'S  
EXHIBIT 8

FEDERAL COMMUNICATIONS COMMISSION  
WASHINGTON, D.C. 20554  
June 15, 1983

IN REPLY REFER TO:  
8920-D08

Mr. J. Thomas Bisset  
Peter & John Radio Fellowship, Inc.  
Baltimore, Md. 21227

In re: Peter & John Radio Fellowship, Inc.  
WRBS-FM, Baltimore, Md.  
BMPH-821014AQ

Dear Mr. Bisset:

This letter is in reference to the above-captioned application for a minor change in FM Broadcast Station WRBS.

An engineering study reveals that your application is in contravention of Sections 73.207, 73.213(a), and 73.316(c), of the Commission's Rules. You have accordingly requested waivers of the aforementioned Rules.

Specifically, with respect to Section 73.207, the proposed site, which is also the licensed site, is located only 8 miles from WQSR (53 channels removed) instead of the required 15 miles.

Justification for granting the waiver request of Section 73.207 is as follows: WRBS is not changing site, just increasing height above average terrain (HAAT). The I.F. shortspacing, as well as some 20 mV/m contour overlap, already exists between WQSR and WRBS. However, the new WRBS operation will provide no increase in 20 mV/m contour distance toward WQSR (with the use of a directional antenna). Therefore, the potential for new I.F. interference should be minimal.

With respect to 73.213(a), WRBS is separated from co-channel station WIKZ-FM, Chambersburg, Pa., less than 75 miles (72 miles). According to Section 73.213 (which applies to WRBS) its facilities toward WIKZ should be limited to 5kW ERP at 500 feet HAAT. WRBS' present station license contains a condition limiting the ERP in the direction of WIKZ to 20kW, at the present WRBS HAAT of 260 feet; this is the equivalent of 5.7kW at 500 feet. WRBS wishes to maintain these same facilities in the direction of WIKZ. However, the directional antenna pattern submitted with this application shows an ERP less than 5kW radiated toward WIKZ; hence a waiver of 73.213(a) would not be needed for the requested facilities.

PETITIONER'S  
EXHIBIT 4

Airspace and Procedures Branch, AEA-530  
Air Traffic Division  
Federal Aviation Administration  
Federal Building  
John F. Kennedy International Airport  
Jamaica, New York 11430

IN REPLY REFER TO  
AERONAUTICAL STUDY  
NO. 83-AEA-0969-0E

# DETERMINATION OF NO HAZARD TO AIR NAVIGATION

SPONSOR	WRBS 3600 Georgetown Road Baltimore, MD 21227		CONSTRUCTION LOCATION	
	PLACE NAME		Baltimore, Maryland	
	LATITUDE		LONGITUDE	
	39-15-21		76-10-29	
CONSTRUCTION PROPOSED	DESCRIPTION		HEIGHT IN FEET	
	Antenna Tower		511 733	

An aeronautical study of the proposed construction described above has been completed under the provisions of Part 77 of the Federal Aviation Regulations. Based on the study it is found that the construction would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the construction would not be a hazard to air navigation provided the following conditions are met:

The tower should be lighted and monitored in accordance with FAA Advisory Circular 70-1460-1P, Obstruction Marking and Lighting, Chapters 4, 6, and 9 or Chapters 4, 7, and 9.

Supplemental notice of construction is required any time the project is abandoned (use the enclosed FAA form), or

- ☐ At least 48 hours before the start of construction (use the enclosed FAA form).
- ☐ Within five days after the construction reaches its greatest height (use the enclosed FAA form).

This determination expires on May 9, 1984, unless:

- (a) extended, revised or terminated by the issuing office;
- (b) the construction is subject to the licensing authority of the Federal Communications Commission and an application for a construction permit is made to the FCC on or before the above expiration date. In such case the determination expires on the date prescribed by the FCC for completion of construction, or on the date the FCC denies the application.

NOTE: Request for extension of the effective period of this determination must be postmarked or delivered to the issuing office at least 15 days prior to the expiration date.

This determination is subject to review if an interested party files a petition on or before October 30, 1983. In the event a petition for review is filed, it should be submitted in triplicate to the Manager, Flight Information and Obstructions Branch, AAT-210, Federal Aviation Administration, Washington, D.C. 20591, and contain a full statement of the basis upon which it is made.

This determination becomes final on November 9, 1983, unless a petition for review is timely filed, in which case the determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review.

An account of the study findings, aeronautical objections, if any, registered with the FAA during the study, and the basis for the FAA's decision in this matter will be found on the following pages.

If the structure is subject to the licensing authority of the FCC, a copy of this determination will be sent to that Agency.

This determination, issued in accordance with FAA Part 77, concerns the effect of this proposal on the safe and efficient use of the navigable airspace by aircraft and does not relieve the sponsor of any compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

SIGNED: *W. Kennedy* Title: Manager, Airspace and Procedures Branch, AEA-530  
ISSUED IN: Jamaica, New York ON: September 30, 1983

FEDERAL COMMUNICATIONS COMMISSION  
WASHINGTON, D.C. 20554  
June 15, 1983

IN REPLY REFER TO:  
8920-D08

Mr. J. Thomas Bisset  
Peter & John Radio Fellowship, Inc.  
Baltimore, Md. 21227

In re: Peter & John Radio Fellowship, Inc.  
WRBS-FM, Baltimore, Md.  
BMPH-821014AQ

Dear Mr. Bisset:

This letter is in reference to the above-captioned application for a minor change in FM Broadcast Station WRBS.

An engineering study reveals that your application is in contravention of Sections 73.207, 73.213(a), and 73.316(c), of the Commission's Rules. You have accordingly requested waivers of the aforementioned Rules.

Specifically, with respect to Section 73.207, the proposed site, which is also the licensed site, is located only 8 miles from WQSR (53 channels removed) instead of the required 15 miles.

Justification for granting the waiver request of Section 73.207 is as follows: WRBS is not changing site, just increasing height above average terrain (HAAT). The I.F. shortspacing, as well as some 20 mV/m contour overlap, already exists between WQSR and WRBS. However, the new WRBS operation will provide no increase in 20 mV/m contour distance toward WQSR (with the use of a directional antenna). Therefore, the potential for new I.F. interference should be minimal.

With respect to 73.213(a), WRBS is separated from co-channel station WIKZ-FM, Chambersburg, Pa., less than 75 miles (72 miles). According to Section 73.213 (which applies to WRBS) its facilities toward WIKZ should be limited to 5kW ERP at 500 feet HAAT. WRBS' present station license contains a condition limiting the ERP in the direction of WIKZ to 20kW, at the present WRBS HAAT of 260 feet; this is the equivalent of 5.7kW at 500 feet. WRBS wishes to maintain these same facilities in the direction of WIKZ. However, the directional antenna pattern submitted with this application shows an ERP less than 5kW radiated toward WIKZ; hence a waiver of 73.213(a) would not be needed for the requested facilities.